


2006

Fishing




MERCURY
If On The Water.




THREE GENERATIONS AND COUNTING....

Welcome to the 2006 lineup of Smoker Craft fishing boats. In these pages, you'll see the product of our family's years of experience on the water — listening to you, our customers. Hearing what you want in a fishing boat. Learning the things that are important to you and your family. Discovering the things that make every experience on the water a little richer. The boats you'll see here are born of three of our family's highest priorities. The creation of an industry-leading design and development team. A steadfast commitment to quality materials and construction methods. And a firm belief that a great boat should be well within the reach of everyone who loves the water. So grab your tackle box, and let's go fishing. Because no matter where you drop your line, our family will stand beside yours — for generations to come.



**TABLE OF
CONTENTS**


Yukon 6
Millentia 8
Ultima 10
Pro Mag 12
Pro Angler 14
Cobra 16
Stinger 18
Resorter 20
Pro Mag/Big Fisherman ... 22
Utilities and Jon Boats 24
Standards & Options 26
Accessories 30



Pictured left to right:
Barney Smoker (Founder)
Phil Smoker (Inside Sales Manager,
Grandson)
Doug Smoker (Vice President, Son)
Tim Smoker (Grandson)

A COMMITMENT TO QUALITY. FROM OUR FAMILY TO YOURS.

When you get a Smoker Craft, you can be sure you're getting a well-designed boat that's built with outstanding materials and state-of-the-art production. Whether it's our quick planing performance, large open bows, smoother ride or industry-leading warranties — you can see here just how it's done. Because to us, there's no mystery to building great boats. It's the sum of every superior detail.



THE FLOW RITE LIVEWELL SYSTEM:

This clever design features a fill pump that draws in water, circulating it at the bottom of the tank. An air hole in the top of the fill pipe allows air to mix with the water, keeping fish healthy. The fill pump may be operated manually or on a timer with excess water draining out of an overflow. Plus, a separate recirculating pump works in a continuous loop to keep aerated water moving in the livewell. This is especially helpful when you're refueling or drifting through stagnant water. For easy cleaning, the livewell has a bottom drain, and the hose runs through the transom, not the floor.



5-KEEL CONSTRUCTION:

Once you've experienced the unmatched stability and handling of five external keels, you'll know why they're so important. The keels also protect your boat from objects beneath the surface, as well as from the wear-and-tear of trailering.

TRS


A.I.R.S. RIB SYSTEM

The choice is clear! Our exclusive Advanced Integrated Rib System utilizes hand-fitted, hat-shaped ribs for superior longitudinal strength and rigidity that simply outperform our competitors' double-plated aluminum.



THEIRS: DOUBLE PLATED

MERCURY
"1 On The Water"



THE HYDRA-LIFT HULL:

You'll have superior acceleration and control thanks to this exclusive specialized reverse chine design. It keeps the bow down as you accelerate, getting you out of the hole faster.



SMOKER CRAFT
2006 FISHING

FISHING CONSTRUCTION

CONSTRUCTION FEATURES

1. CARPET

Your whole family can rely on the durability of our premium grade, 100% UV stabilized marine carpet, with a 5-year warranty.

2. XL PLYWOOD FLOORS

Our floors carry a lifetime warranty, thanks to our specially treated XL plywood that's guaranteed not to warp or rot.

3. URETHANE FOAM

One step aboard, and you'll notice the strength and solid support of the floor. That's because we fill every cavity with gasoline-resistant urethane foam to eliminate water pockets and give your boat maximum buoyancy and a quieter ride.

4. STRENGTH

Peel back the layers, and you'll see our recipe for a stronger boat. It includes a .125 one-piece bottom, with .125 gauge hand-fitted ribs on 10" centers — the type of construction you'll find on many of our boats. Combine this lateral strength with five keels running longitudinally, and you get superior impact resistance and improved lift, handling, bottom support and protection.

5. 5-KEEL CONSTRUCTION

Once you've experienced the unmatched stability and handling of five external keels, you'll know why they're so important. The keels also protect your boat from objects beneath the surface, as well as from the wear-and-tear of trailering.

RAKED BACK BOW

This innovative bow design features an integrated spray rail and gives you not only a smoother, drier ride — but also more room in the bow up above. The .125 one-piece bottom and double riveted seams combine to give the bow its unmatched strength.

100
192
YUKON



THIS YEAR, WE'RE TAKING IT TO EXTREMES.

Ready for an awe-inspiring experience? Take a closer look at the 2006 edition of the Yukon. It's loaded with tournament-ready fishing features. And for those who like to take on more rugged conditions, it ramps things up — with mega-storage and livewells, reinforcements for downriggers and larger casting platforms. Our exclusive Hydra-Lift Rolled V-hull gets you out of the hole and on plane quickly and gives you the smoothest, driest ride in its class.



192 YUKON



SMOKER CRAFT
2006 FISHING

YUKON: 192

FEATURES OF THE YUKON:

1. DRIVER'S CONSOLE:

On the Yukon console, you'll find easy-to-read deluxe gauges and easy-to-reach switches and circuit breakers. It's ergonomic thinking at its best.

2. ROD STORAGE:

The Yukon's large center rod storage area holds up to 8 rods and even has room for removable tackle trays.

3. STORAGE:

Keep your clothes, watches and other belongings dry in the Yukon's 2 under-console storage areas.

4. LIVEWELL:

Your catch stays fresh inside the Yukon's big 36 gallon stern livewell. It's lighted, aerated, recirculating and timed.


SPECIFICATIONS

| | 192 YUKON |
|----------------------|------------------|
| Length | 18' 10" |
| Beam | 56" |
| Depth | 38" |
| Interior Depth | 27" |
| Tansom Width | 96" |
| Tansom Height | XLS |
| Dry Weight (Lbs.) | 1575 |
| Maximum Persons | 8 |
| Maximum Cap. (Lbs.) | 1750 |
| Maximum H.P. | 175 |
| Fuel Capacity (Gal.) | 40 |
| Bottom Gauge | .125 |
| Side Gauge | .086 |
| Rib Gauge | .125 |

All boats using CGs greater than 125 H.P. should have dual or hydraulic steering.

MERCURY
#1 On The Water

Lifetime Warranty
On All Riveted Seams



192 YUKON



192 MILLENTIA



YOU'LL WANT THIS WINNER ON YOUR SIDE.

Year after year, the Millentia sets the standard for breathtaking performance and spacious floorplans. The 192 features a deep interior that's great for bigger water and a wide beam that provides larger casting platforms. The Hydra-Lift Rolled V-hull is designed for quicker hole shots, and you'll have plenty of room for the day's catch in the large livewell.



172 MILLENTIA



SMOKER CRAFT
2006 FISHING

MILLENTIA:
192, 172, 171

FEATURES OF THE MILLENTIA:

1. DRIVER'S CONSOLE:

On the console, you'll find easy-to-read deluxe gauges and easy-to-reach switches and circuit breakers. It's ergonomic thinking at its best.

2. ROD STORAGE:

The 192 Millentia's large center rod storage area holds up to 8 rods and even has room for removable tackle trays.

3. ROD BOX (17):

The organized rod system on the 17' models securely holds up to 6 rods.

4. FLIP-UP SEAT (19):

The stern casting deck easily converts to comfortable passenger room with large fold-down seats.

5. TROLLING MOTOR PANEL:


Everything's close at hand on the Millentia's trolling motor panel with bow courtesy light, battery check gauge and motor tilt switch.

6. SNAP-IN CARPET:


The vinyl floor with snap-in carpet allows you to quickly clean up from a morning of fishing for an afternoon of family fun.

MERCURY
"1 On The Water"

Lifetime Warranty
On All Riveted Seams



192 MILLENTIA



172 MILLENTIA



171 MILLENTIA



SPECIFICATIONS

| | 192 MILLENTIA | 172 MILLENTIA | 171 MILLENTIA |
|----------------------|---------------|---------------|---------------|
| Length | 18' 10" | 17' 2" | 17' 2" |
| Beam | 96" | 91" | 91" |
| Depth | 38" | 36" | 36" |
| Interior Depth | 27" | 26" | 26" |
| Transom Width | 96" | 88" | 88" |
| Transom Height | XLS | LS | LS |
| Dry Weight (Lbs.) | 1575 | 1325 | 1260 |
| Maximum Persons | 8 | 5 | 5 |
| Maximum Cap. (Lbs.) | 1750 | 1400 | 1400 |
| Maximum H.P. | 175 | 135 | 135 |
| Fuel Capacity (Gal.) | 40 | 24 | 24 |
| Bottom Gauge | .125 | .100 | .100 |
| Side Gauge | .086 | .086 | .086 |
| Rib Gauge | .125 | .100 | .100 |

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.



192



ULTIMA

A GREAT FISHING BOAT. AND SO MUCH MORE.

Think a fishing boat can't deliver a great time for the whole family? Think Ultima. It's a phenomenal boat for serious anglers, with reinforcements for downriggers, large livewells, lighted rod storage and the Hydra-Lift Rolled V-hull. And, thanks to features like snap-in carpet and a unique fold-up walk-in bow design, it can quickly turn around for a great time on the water with family and friends.



172 ULTIMA



SMOKER CRAFT
2006 FISHING

ULTIMA:
192, 172

FEATURES OF THE ULTIMA:

1. FISHING SEATS:

Our newly designed fishing seats feature a full plastic core and pinch-proof hinges. With three seats and six bases, there's plenty of room for everyone to fish comfortably.

2. FLOOR STORAGE:

Convenient floor storage gives you generous space to keep things dry and safely stowed away.

3. SKI TOW:

This optional ski tow adds excitement to your favorite tow sports and is easily removed and stowed away.

4. STERN SEATS:


Comfortable flip-up stern seats, both port and starboard, give you extra room for family outings.




SPECIFICATIONS

| | 192 ULTIMA | 172 ULTIMA |
|----------------------|------------|------------|
| Length | 18' 10" | 17' 2" |
| Beam | 96" | 91" |
| Depth | 38" | 36" |
| Interior Depth | 27" | 26" |
| Transom Width | 96" | 88" |
| Transom Height | XLS | LS |
| Dry Weight (Lbs.) | 1575 | 1330 |
| Maximum Persons | 8 | 5 |
| Maximum Cap. (Lbs.) | 1750 | 1400 |
| Maximum H.P. | 175 | 135 |
| Fuel Capacity (Gal.) | 40 | 24 |
| Bottom Gauge | .125 | .100 |
| Side Gauge | .086 | .086 |
| Rib Gauge | .125 | .100 |

All boats using DBs greater than 125 H.P. should have dual or hydraulic steering.



192 ULTIMA



172 ULTIMA





18' PRO MAG



WE'VE LAUNCHED A GREAT NEW VALUE.

Introducing the all-new Pro Mag lineup. These well-equipped boats are designed to give you great fishing experiences at an unbeatable value. You'll enjoy sharp new consoles with impressive instrumentation, vinyl flooring with optional snap-in carpet and toe kicks for safety and convenience. Yes, this is your year for a big step up.



161 PRO MAG



SMOKER CRAFT
2006 FISHING

PRO MAG:
182, 172, 162, 161

FEATURES OF THE PRO MAG:

1. CONSOLE:

The all-new console has sleek styling and features large, 5" gauges.

2. CENTER ROD STORAGE:

On the 162 and 172 models, you'll find a large center rod storage box with space for 8 rods.

3. REAR LIVEWELL:


Large stern livewells are conveniently accessed and easily hold the day's catch.

4. CONVERTIBLE TOP STORAGE (18" AND 17"):


When not in use, the convertible top stows neatly out of the way in this storage space in the stern platform.

5. SNAP-IN CARPET:


The vinyl floor is a cinch to clean up, and optional snap-in carpet lets you quickly convert the Pro Mag for comfortable family fun.




182 PRO MAG



172 PRO MAG



162 PRO MAG



161 PRO MAG



SPECIFICATIONS

| | 182 PRO MAG | 172 PRO MAG | 162 PRO MAG | 161 PRO MAG |
|----------------------|-------------|-------------|-------------|-------------|
| Length | 18' 2" | 17' 2" | 16' 5" | 16' 5" |
| Beam | 96" | 91" | 86" | 86" |
| Depth | 38" | 36" | 34" | 34" |
| Interior Depth | 27" | 26" | 23" | 23" |
| Transom Width | 96" | 88" | 74" | 74" |
| Transom Height | XLS | LS | LS | LS |
| Dry Weight (Lbs.) | 1425 | 1300 | 960 | 920 |
| Maximum Persons | 7 | 5 | 5 | 5 |
| Maximum Cap. (Lbs.) | 1625 | 1400 | 1300 | 1300 |
| Maximum H.P. | 150 | 135 | 90 | 90 |
| Fuel Capacity (Gal.) | 31 | 24 | 20 | 20 |
| Bottom Gauge | .125 | .100 | .080 | .080 |
| Side Gauge | .086 | .086 | .076 | .076 |
| Rib Gauge | .125 | .100 | .080 | .080 |

All boats using O/Bs greater than 125 H.P. should have dual or hydraulic steering.



172 PRO ANGLER



THIS IS THE REASON FOR WEEKENDS.

If you're an "every chance you get" fisherman, then these boats are designed for you. The Pro Angler series offers premium fishing features at a tremendous value. You'll enjoy the remarkable, top-of-the-line performance of our exclusive Hydra-Lift Rolled V-hull with five keels. And you'll love the roomy floorplans with large bow and stern casting platforms — whether you're enjoying a quiet trip alone or out coaching the next generation.



171 PRO ANGLER

SMOKER CRAFT
2006 FISHING

PRO ANGLER:
172, 171

FEATURES OF THE PRO ANGLER:

1. DRIVER'S CONSOLE:

On the Pro Angler console, you'll find easy-to-read deluxe gauges and easy-to-reach switches and circuit breakers. It's ergonomic thinking at its best.

2. STERN BAITWELL:

This built-in baitwell with bucket comes standard and is conveniently located in the stern casting deck.

3. ROD STORAGE:

You'll enjoy the convenience of roomy rod storage, both port and starboard.

4. SEAT:

Our fishing seats are the most comfortable you'll find anywhere and feature full plastic cores for superior durability.



MERCURY
"1 On The Water"

Lifetime
Warranty
On All
Riveted
Seams

SPECIFICATIONS

| | 172 PRO ANGLER | 171 PRO ANGLER |
|----------------------|----------------|----------------|
| Length | 15' 8" | 15' 8" |
| Beam | 92" | 92" |
| Depth | 34" | 34" |
| Interior Depth | 24" | 24" |
| Transom Width | 91" | 91" |
| Transom Height | LS | LS |
| Dry Weight (Lbs.) | 1225 | 1180 |
| Maximum Persons | 5 | 5 |
| Maximum Cap. (Lbs.) | 1400 | 1400 |
| Maximum H.P. | 135 | 135 |
| Fuel Capacity (Gal.) | 24 | 24 |
| Bottom Gauge | .100 | .100 |
| Side Gauge | .076 | .076 |
| Rib Gauge | .100 | .100 |

All boats using O/Bs greater than 125 H.P. should have dual or hydraulic steering.



172 PRO ANGLER



171 PRO ANGLER



206 COBRA



Now You're Ready for Anything.

If you have your heart set on a professional, tournament-ready boat, take a closer look at the Cobra. This fiberglass series gives you a rugged hull that's designed to let you take on rough water at high speeds, for the edge you need to be the first one to the fish. And, when it's time to take the whole family out for a cruise, you'll appreciate the added comfort of removable stern jump seats.




SMOKER CRAFT
2006 FISHING

COBRA:
206, 180

FEATURES OF THE COBRA:

1. DRIVER'S CONSOLE:

This one-of-a-kind console features a silver metallic dash with lighted toggle switches and a custom wheel with hydraulic tilt steering.

2. STORAGE:

You'll appreciate the large lighted central rod locker with eight rod tubes, as well as added storage under the bow casting deck.

3. STERN LIVEWELL:

This trophy-sized 39 gallon stern livewell is 60" long and includes an aerated removable bait bucket.

4. TACKLE BOX:

A recessed three-tray tackle box is conveniently located in the bow to help you keep everything neatly organized.

5. BOW PANEL:

The bow panel houses the trolling motor plug, main motor trim switch, bow livewell controls and light switches.




SPECIFICATIONS


| | 206 COBRA | 180 COBRA |
|----------------------|-----------|-----------|
| Length | 20' 6" | 18' 0" |
| Beam | 96" | 96" |
| Depth | 39" | 39" |
| Interior Depth | 29" | 29" |
| Transom Width | 92" | 92" |
| Transom Height | XLS | XLS |
| Dry Weight (Lbs.) | 1960 | 1763 |
| Maximum Persons | 8 | 6 |
| Maximum Cap. (Lbs.) | 2050 | 1950 |
| Maximum H.P. | 225 | 175 |
| Fuel Capacity (Gal.) | 50 | 37 |

All boats using O/Bs greater than 125 H.P. should have dual or hydraulic steering.

MERCURY
"1 On The Water"



206 COBRA



180 COBRA



162



STINGER



MORE BOAT FOR THE BUCK.

You're looking at the very best value package on the water. Take a closer look at all the Stinger has to offer, and you'll see our commitment to giving you more boat for your money. From the stylish, well-equipped console, to the large front and rear casting platforms, to the easy-to-clean vinyl floor, you'll have everything you need to take fishing to the next level.



SMOKER CRAFT
2006 FISHING

STINGER:
 162, 161

FEATURES OF THE STINGER:

1. DRIVER'S CONSOLE:

The whole family will enjoy taking a turn at the helm of this attractive console with an impressive instrumentation package.

2. BOW LIVEWELL:

In the front casting deck, you'll enjoy the convenience of a 25 gallon aerated livewell.

3. PORT SIDE ROD STORAGE:

This port rod storage compartment allows you to safeguard your valuable gear while you're underway.

4. CLEATS:

The Stinger is outfitted with 4 heavy-duty 4-1/2" cleats, making docking a cinch.




SPECIFICATIONS


| | 162 STINGER | 161 STINGER |
|----------------------|-------------|-------------|
| Length | 16' 0" | 16' 0" |
| Beam | 81" | 81" |
| Depth | 33" | 33" |
| Interior Depth | 25" | 25" |
| Transom Width | 74" | 74" |
| Transom Height | LS | LS |
| Dry Weight (Lbs.) | 920 | 845 |
| Maximum Persons | 5 | 5 |
| Maximum Cap. (Lbs.) | 1200 | 1200 |
| Maximum H.P. | 60 | 60 |
| Fuel Capacity (Gal.) | 16 | 16 |
| Bottom Gauge | .100 | .100 |
| Side Gauge | .064 | .064 |
| Rib Gauge | .070 | .070 |

MERCURY

'1 On The Water



162 STINGER



161 STINGER



RESORTER



161



START HERE. FISH FOREVER.

Year after year, we give you more reasons to join the Smoker Craft family. For 2006, we're introducing the all-new 16' Resorter. This value-packed boat features the same hull as our tried-and-true Stinger series and gives you impressive floor space for a boat its size. Check out the features. Check out the quality. See for yourself how we define value.



160 RESORTER



SPECIFICATIONS

| | 161 RESORTER | 160 RESORTER |
|----------------------|--------------|--------------|
| Length | 16' 0" | 16' 0" |
| Beam | 81" | 81" |
| Depth | 33" | 33" |
| Interior Depth | 25" | 25" |
| Transom Width | 74" | 74" |
| Transom Height | LS | LS |
| Dry Weight (Lbs.) | 725 | 700 |
| Maximum Persons | 5 | 5 |
| Maximum Cap. (Lbs.) | 1250 | 1250 |
| Maximum H.P. | 60 | 60 |
| Fuel Capacity (Gal.) | N/A | N/A |
| Bottom Gauge | .060 | .060 |
| Side Gauge | .064 | .064 |
| Rib Gauge | .080 | .080 |

SMOKER CRAFT
2006 FISHING

RESORTER:
161, 160

FEATURES OF THE RESORTER:

1. DRIVER'S CONSOLE:

The 161 features a comfortable driver's console with tachometer, speedometer, horn and more. The windscreen shown here makes an attractive option.

2. BOW STORAGE:


This large bow storage space is a luxury for safely stowing all the day's gear.

3. LIVEWELL:


The port side livewell is aerated and holds a roomy 21 gallons.

MERCURY
"I On The Water"

Lifetime
Warranty
On All
Riveted
Seams



161 RESORTER



160 RESORTER





1688 PRO MAG



STANDING BEHIND EVERY BOAT WE BUILD.

You can count on Smoker Craft to give you a wide selection of well-built utility boats. The Pro Mag models feature two plush seats and three seat bases, as well as a lockable glove box and plenty of storage space. Both the Pro Mag and the Big Fisherman give you easy-to-clean vinyl flooring, plus a 5-year warranty on carpet and the backing of a 10-year hull warranty.



16' BIG FISHERMAN



SMOKER CRAFT
2006 FISHING

PRO MAG: 168, 140
BIG FISHERMAN: 16, 14

FEATURES OF THE PRO MAG
& BIG FISHERMAN:

1. LIVEWELL:

On both the Pro Mag and Big Fisherman series, you'll enjoy the convenience of port livewells.

2. ROD STORAGE:

The Pro Mag is equipped with roomy starboard rod storage, to keep your equipment safely stowed while not in use.

MERCURY
"1 On The Water"

Lifetime Warranty
On All Riveted Seams



168 PRO MAG



140 PRO MAG



16' BIG FISHERMAN



14' BIG FISHERMAN



SPECIFICATIONS

PRO MAG BIG FISHERMAN

| | 168 | 140 | 16 | 14 |
|----------------------|---------|--------|--------|--------|
| Length | 16' 10" | 14' 5" | 16' 5" | 14' 2" |
| Beam | 69" | 67" | 70" | 68" |
| Depth | 33" | 30" | 31" | 30" |
| Interior Depth | 22" | 19" | 22" | 22" |
| Transom Width | 59" | 59" | 53" | 60" |
| Transom Height | LS | LS/SS | LS | LS/SS |
| Dry Weight (Lbs.) | 555 | 475 | 460 | 395 |
| Maximum Persons | 5 | 4 | 5 | 4 |
| Maximum Cap. (Lbs.) | 1100 | 975 | 1100 | 1100 |
| Maximum H.P. | 40 | 25 | 40 | 35 |
| Fuel Capacity (Gal.) | N/A | N/A | N/A | N/A |
| Bottom Gauge | .064 | .064 | .064 | .064 |
| Side Gauge | .060 | .060 | .060 | .060 |
| Rib Gauge | .064 | .064 | .064 | .064 |

UTILITIES and JON BOATS



OUT HERE, IT'S PURE SKILL.

For those who only require the basics, we offer the Super Fisherman, Alaskan and Canadian series. No matter which you choose, you can rely on the worry-free performance of the aluminum hull with a 10-year warranty. In addition, we offer a wide selection of rugged, dependable Jon boats, in lengths ranging from 10' to 18'.



15 ALASKAN DELUXE



15 ALASKAN



15.7 SUPER FISHERMAN



13 ALASKAN DELUXE

SPECIFICATIONS

| SPECIFICATIONS | SUPER FISHERMAN | ALASKAN | | | CANADIAN | |
|---------------------|-----------------|-----------|---------|-----------|----------|--------|
| | 15.7 | 15/15 DLX | 13 DLX | 12/12 DLX | 14 | 12 |
| Length | 15' 5" | 14' 11" | 12' 11" | 11' 11" | 13' 10" | 11' 9" |
| Beam | 72" | 68" | 66" | 63" | 68" | 56" |
| Depth | 32" | 27" | 26" | 24" | 20" | 20" |
| Interior Depth | 32" | 21" | 20" | 19" | 20" | 20" |
| Transom Width | 61" | 59" | 56" | 56" | 50" | 50" |
| Transom Height | LS | LS/SS | LS/SS | LS/SS | SS | SS |
| Dry Weight (Lbs.) | 290 | 270 | 225 | 185 | 130 | 112 |
| Maximum Persons | 4 | 4 | 4 | 3 | 4 | 3 |
| Maximum Cap. (Lbs.) | 1100 | 850 | 700 | 700 | 700 | 605 |
| Maximum H.P. | 25 | 35 | 25 | 15 | 15 | 10 |
| Bottom Gauge | .070 | .064 | .064 | .064 | .050 | .050 |
| Side Gauge | .060 | .060 | .060 | .060 | .050 | .050 |
| Rib Gauge | .054 | .064 | .064 | .064 | .050 | .050 |



12 ALASKAN DELUXE



12 ALASKAN



12 CANADIAN



14 CANADIAN




SMOKER CRAFT
2006 FISHING

SUPER FISHERMAN:
157

ALASKAN:
15, 13, 12

CANADIAN:
14, 12

SPORTSMAN:
18, 16

JON BOATS:
1648, 1644, 1436, 1432,
1232, 1032

MERCURY
#1 On The Water



16 SPORTSMAN



1648



1644



1436



1432



1232

SPECIFICATIONS

| | SPORTSMAN | | JON BOATS | | | | | | |
|---------------------|-----------|--------|-----------|--------|--------|--------|--------|--------|--|
| | 18 | 16 | 1648 | 1644 | 1436 | 1432 | 1232 | 1032 | |
| Length | 18' 0" | 16' 0" | 16' 0" | 18' 0" | 14' 0" | 14' 0" | 12' 0" | 10' 0" | |
| Beam | 85" | 85" | 72" | 63" | 57" | 51" | 51" | 51" | |
| Depth | 23" | 23" | 22" | 22" | 22" | 18" | 16" | 16" | |
| Interior Depth | 21" | 21" | 22" | 22" | 22" | 18" | 16" | 16" | |
| Transom Width | 89" | 88" | 71" | 68" | 56" | 50" | 59" | 50" | |
| Transom Height | LS | LS | LS/SS | LS | SS | SS | SS | SS | |
| Dry Weight (Lbs.) | 700 | 640 | 295 | 300 | 185 | 140 | 120 | 100 | |
| Maximum Persons | 6 | 6 | 4 | 4 | 3 | 2 | 2 | 2 | |
| Maximum Cap. (Lbs.) | 1,400 | 1,350 | 900 | 900 | 650 | 390 | 390 | 290 | |
| Maximum H.P. | 80 | 65 | 35 | 35 | 20 | 7 | 6 | 3 | |
| Bottom Gauge | .100 | .100 | .072 | .072 | .064 | .050 | .050 | .050 | |
| Side Gauge | .100 | .100 | .072 | .072 | .064 | .050 | .050 | .050 | |



SMOKER CRAFT
2006 FISHING

STANDARDS & OPTIONS

SPECIFICATIONS

| | 192 Yukon | 192 Millennium | 172 Millennium | 171 Millennium | 192 Ultima | 172 Ultima | 162 Pro Mag | 172 Pro Mag | 162 Pro Mag | 161 Pro Mag | 172 Pro Angler | 171 Pro Angler | 206 Cobra | 180 Cobra |
|---|-----------|----------------|----------------|----------------|------------|------------|-------------|-------------|-------------|-------------|----------------|----------------|-----------|-----------|
| Length | 18' 10" | 18' 10" | 17' 2" | 17' 2" | 18' 10" | 17' 2" | 16' 2" | 17' 2" | 16' 5" | 16' 5" | 16' 8" | 16' 8" | 20' 6" | 18' 0" |
| Beam | 96" | 96" | 91" | 91" | 96" | 91" | 98" | 91" | 86" | 86" | 92" | 92" | 96" | 96" |
| Depth | 38" | 35" | 36" | 36" | 38" | 36" | 38" | 36" | 34" | 34" | 34" | 34" | 39" | 39" |
| Interior Depth | 27" | 27" | 26" | 26" | 27" | 26" | 27" | 26" | 23" | 23" | 24" | 24" | 29" | 29" |
| Transom Width | 96" | 96" | 88" | 88" | 96" | 88" | 96" | 88" | 74" | 74" | 91" | 91" | 92" | 92" |
| Transom Height | XLS | XLS | LS | LS | XLS | LS | XLS | LS | LS | LS | LS | LS | XLS | XLS |
| Dry Weight (Lbs.) | 1575 | 1575 | 1325 | 1260 | 1575 | 1330 | 1425 | 1300 | 960 | 920 | 1225 | 1180 | 1960 | 1763 |
| Maximum Persons | 8 | 8 | 5 | 5 | 8 | 5 | 7 | 5 | 5 | 5 | 5 | 5 | 6 | 6 |
| Maximum Capacity (Lbs.) | 1750 | 1750 | 1400 | 1400 | 1750 | 1400 | 1625 | 1400 | 1300 | 1300 | 1400 | 1400 | 2050 | 1950 |
| Maximum H.P. | 175 | 175 | 135 | 135 | 175 | 135 | 150 | 135 | 90 | 90 | 135 | 135 | 225 | 175 |
| Fuel Capacity (Gal.) | 40 | 40 | 24 | 24 | 40 | 24 | 31 | 24 | 20 | 20 | 24 | 24 | 50 | 37 |
| Bottom Gauge | .125 | .125 | .100 | .100 | .125 | .100 | .125 | .100 | .080 | .080 | .100 | .100 | • | • |
| Side Gauge | .086 | .086 | .086 | .086 | .086 | .086 | .086 | .086 | .076 | .076 | .076 | .076 | • | • |
| Rib Gauge | .125 | .125 | .100 | .100 | .125 | .100 | .125 | .100 | .080 | .080 | .100 | .100 | • | • |
| COLORS | | | | | | | | | | | | | | |
| Black | S | S | S | S | • | • | • | • | • | • | S | S | S | S |
| Blue | • | • | S | S | S | S | S | S | S | S | S | S | S | S |
| Charcoal | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Burgundy | • | • | • | • | • | • | S | S | S | S | • | • | S | S |
| Red | • | • | • | • | • | • | • | • | • | • | • | • | S | S |
| Champagne | • | • | • | • | • | • | • | • | • | • | • | • | S | S |
| HULL | | | | | | | | | | | | | | |
| Hydra-Lift Rolled V-Hull | S | S | S | S | S | S | S | S | S | S | S | S | • | • |
| Koala | S | S | S | S | S | S | S | S | S | S | S | S | • | • |
| FLOOR / CARPET | | | | | | | | | | | | | | |
| Treated Floor with Lifetime Warranty | S | S | S | S | S | S | S | S | S | S | S | S | • | • |
| 5-Year Carpet Warranty | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Vinyl Floor Covering | S | S | S | S | S | S | S | S | S | S | S | S | • | • |
| Snap-In Carpet | S | S | S | S | S | S | 0 | 0 | 0 | 0 | 0 | 0 | 0 | • |
| WINDSHIELD | | | | | | | | | | | | | | |
| Curved Walk-Thru Windshield | S | S | S | • | S | S | S | S | S | • | S | • | S | S |
| Windscreen | • | • | • | S | • | • | • | • | • | S | • | S | • | • |
| CONSOLE / DASH | | | | | | | | | | | | | | |
| Tachometer | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Speedometer | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Volt Meter | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Fuel Gauge | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Lighted Compass | S | S | S | S | S | S | • | • | • | • | • | • | • | • |
| Horn | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Circuit Breakers | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Starboard Console | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| STEREO | | | | | | | | | | | | | | |
| AM/FM Stereo CD Player | S | S | S | S | S | S | 0 | 0 | 0 | 0 | 0 | 0 | S | S |
| LIVEWELL | | | | | | | | | | | | | | |
| Stern Livewell (Gal.) | LAH(36) | LAH(23) | LAH(30) | LAH(30) | LA(23) | LA(23) | A(26) | A(20) | A(18) | A(18) | A(18) | A(18) | LA(39) | LA(39) |
| Bow Livewell (Gal.) | • | LA(12) | LAH(30) | LAH(30) | LA(12) | LA(12) | • | • | A(25) | A(25) | LA(30) | LA(30) | LAH(12) | LAH(12) |
| Port Livewell (Gal.) | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Baitwell with Bucket | • | • | S | S | • | • | • | • | • | • | S | S | S | S |
| TROLLING MOTOR | | | | | | | | | | | | | | |
| Trolling Motor Panel | S | S | S | S | • | • | • | • | • | • | • | • | S | S |
| Trolling Motor Plug | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Motor Tilt Switch | S | S | S | S | • | • | • | • | • | • | • | • | • | • |
| (4) 4-1/2" Cleats | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| (4) 6" Cleats | • | • | • | • | • | • | S | S | S | S | S | S | • | • |
| (4) 6" Pull-Up Cleats | S | S | S | S | S | S | • | • | • | • | • | • | S | S |

Standard - S

Option - 0

Not Available - •

Lighted Livewell - L

Aerated Livewell - LA

SPECIFICATIONS

| | 162 Stinger | 161 Stinger | 161 Resorter | 160 Resorter | 160 Pro Mag | 140 Pro Mag | 16 Big Fisherman | 14 Big Fisherman | 157 Super Fisherman | 15 Alaskan Deluxe | 15 Alaskan | 13 Alaskan Deluxe | 12 Alaskan Deluxe | 12 Alaskan | 14 Canadian | 12 Canadian |
|--------------------------------------|-------------|-------------|--------------|--------------|-------------|-------------|------------------|------------------|---------------------|-------------------|------------|-------------------|-------------------|------------|-------------|-------------|
| Length | 16' 0" | 16' 0" | 16' 0" | 16' 0" | 16' 10" | 14' 5" | 16' 5" | 14' 2" | 15' 5" | 14' 11" | 12' 11" | 11' 10" | 13' 10" | 11' 9" | | |
| Beam | 81" | 81" | 81" | 81" | 89" | 87" | 70" | 68" | 72" | 68" | 66" | 63" | 58" | 56" | | |
| Depth | 33" | 33" | 33" | 33" | 33" | 30" | 31" | 30" | 32" | 27" | 26" | 24" | 20" | 20" | | |
| Interior Depth | 25" | 25" | 25" | 25" | 22" | 19" | 22" | 22" | 32" | 21" | 20" | 18" | 20" | 20" | | |
| Transom Width | 74" | 74" | 74" | 74" | 59" | 59" | 63" | 60" | 61" | 59" | 56" | 56" | 50" | 50" | | |
| Transom Height | LS | LS | LS | LS | LS | LS/SS | LS | LS/SS | LS | LS/SS | LS/SS | LS/SS | SS | SS | | |
| Dry Weight (Lbs.) | 820 | 845 | 725 | 700 | 555 | 475 | 460 | 395 | 290 | 270 | 225 | 185 | 130 | 112 | | |
| Maximum Persons | 5 | 5 | 5 | 5 | 5 | 4 | 5 | 4 | 4 | 4 | 4/3 | 3 | 4 | 3 | | |
| Maximum Capacity (Lbs.) | 1200 | 1200 | 1250 | 1250 | 1100 | 975 | 1100 | 1100 | 1100 | 850 | 700 | 700 | 700 | 605 | | |
| Maximum H.P. | 60 | 60 | 60 | 60 | 40 | 25 | 40 | 35 | 25 | 35 | 25 | 15 | 15 | 10 | | |
| Fuel Capacity (Gal.) | 16 | 16 | 16 | 16 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | | |
| Bottom Gauge | 100 | 100 | 080 | 080 | 064 | 064 | 064 | 064 | 070 | 064 | 064 | 064 | 050 | 050 | | |
| Side Gauge | 064 | 064 | 064 | 064 | 060 | 060 | 060 | 060 | 060 | 060 | 060 | 060 | 050 | 050 | | |
| Rib Gauge | 070 | 070 | 080 | 080 | 064 | 064 | 064 | 064 | 064 | 064 | 064 | 064 | 050 | 050 | | |
| COLORS | | | | | | | | | | | | | | | | |
| Black | • | • | S | S | • | • | S | S | • | • | • | • | • | • | | |
| Blue | S | S | • | • | • | • | • | • | • | • | • | • | • | • | | |
| Charcoal | • | • | • | • | S | S | • | • | S | S | S | S | • | • | | |
| Burgundy | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | |
| Red | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | |
| Champagne | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | |
| HULL | | | | | | | | | | | | | | | | |
| Hydra-Lift Rolled V-Hull | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | |
| Keels | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | • | • | | |
| FLOOR / CARPET | | | | | | | | | | | | | | | | |
| Treated Floor with Lifetime Warranty | S | S | S | S | S | S | S | S | • | S | S | S | • | • | | |
| 5-Year Carpet Warranty | S | S | S | S | S | S | S | S | • | • | • | • | • | • | | |
| Vinyl Floor Covering | S | S | S | S | S | S | S | S | • | S(DLX) | S | S(DLX) | • | • | | |
| Snap-In Carpet | 0 | 0 | • | • | • | • | • | • | • | • | • | • | • | • | | |
| WINDSHIELD | | | | | | | | | | | | | | | | |
| Curved Walk-Thru Windshield | S | • | • | • | • | • | • | • | • | • | • | • | • | • | | |
| Windscreen | • | 0 | 0 | • | • | • | • | • | • | • | • | • | • | • | | |
| CONSOLE / DASH | | | | | | | | | | | | | | | | |
| Tachometer | S | S | S | • | • | • | • | • | • | • | • | • | • | • | | |
| Speedometer | S | S | S | • | • | • | • | • | • | • | • | • | • | • | | |
| Volt Meter | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | |
| Fuel Gauge | S | S | • | • | • | • | • | • | • | • | • | • | • | • | | |
| Lighted Compass | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | |
| Horn | S | S | S | • | • | • | • | • | • | • | • | • | • | • | | |
| Circuit Breakers | S | S | S | S | S | S | S | S | • | • | • | • | • | • | | |
| Starboard Console | • | • | • | • | • | • | 0 | 0 | 0 | 0 | • | • | • | • | | |
| STEREO | | | | | | | | | | | | | | | | |
| AM/FM Stereo CD Player | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | |
| LIVWELL | | | | | | | | | | | | | | | | |
| Stern Livewell (Gal.) | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | |
| Bow Livewell (Gal.) | A(25) | A(25) | • | • | • | • | • | • | • | • | • | • | • | • | | |
| Port Livewell (Gal.) | • | • | A(21) | A(21) | A(21) | A(15) | (25) | (21) | • | • | • | • | • | • | | |
| Baitwell with Bucket | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | |
| TROLLING MOTOR | | | | | | | | | | | | | | | | |
| Trolling Motor Panel | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | |
| Trolling Motor Plug | S | S | S | S | S | S | S | S | • | • | • | • | • | • | | |
| Motor Tilt Switch | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | |
| (4) 4-1/2" Cleats | S | S | • | • | • | • | • | • | • | • | • | • | • | • | | |
| (4) 6" Cleats | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | |
| (4) 6" Pull-Up Cleats | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | |

Standards & Options continued on next page.

STANDARDS & OPTIONS

LIGHTS

| | 192 Yukon | 192 Millennium | 172 Millennium | 171 Millennium | 192 Ultima | 172 Ultima | 182 Pro Mag | 172 Pro Mag | 162 Pro Mag | 161 Pro Mag | 172 Pro Angler | 171 Pro Angler | 206 Cobra | 180 Cobra |
|----------------------|-----------|----------------|----------------|----------------|------------|------------|-------------|-------------|-------------|-------------|----------------|----------------|-----------|-----------|
| Navigation Lights | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Bow Courtesy Light | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Stern Courtesy Light | S | S | S | S | S | S | S | S | S | S | S | S | S | S |

SEATING

| | | | | | | | | | | | | | | |
|-----------------------------------|-----|-----|---|---|---|---|---|---|---|---|---|---|-----|-----|
| Movable Pedestals | • | • | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 1 | 1 |
| Stationary Pedestal | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Movable Helm Pedestal with Slider | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Movable Helm Pedestal | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Movable Hydraulic Pedestals | (2) | (2) | • | • | • | • | 0 | • | • | • | • | • | (1) | (1) |
| Removable Backrest with Cushions | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Rear Fold Down Seats | • | S | 0 | 0 | S | S | • | • | • | • | • | • | • | • |
| Bow Backrest with Cushions | • | • | • | • | S | S | • | • | • | • | • | • | • | • |
| Seat Bases | S | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Bass Seats | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| Additional Bass Seat with Stem | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hydraulic Stem | 0 | 0 | • | • | • | • | 0 | • | • | • | • | • | 0 | 0 |
| Aluminum Bench Seats | • | • | • | • | • | • | • | • | • | • | • | • | • | • |

STORAGE

| | | | | | | | | | | | | | | |
|-------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Center Rod Storage | S | S | • | • | • | • | S | S | • | • | • | • | S | S |
| Lighted Port Rod Storage | • | • | S | S | S | S | • | • | • | • | • | • | • | • |
| Lighted Starboard Rod Storage | • | • | S | S | S | S | • | • | • | • | • | • | • | • |
| Port Rod Storage | • | • | • | • | • | • | S | S | S | S | S | S | • | • |
| Starboard Rod Storage | • | • | • | • | • | • | • | • | S | S | S | S | • | • |
| Starboard Side Storage | S | S | • | • | • | • | S | S | • | • | • | • | S | S |
| Console Storage | S | S | • | • | S | S | S | S | • | • | • | • | • | • |
| Rod Holders | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Bow Storage | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Stern Storage | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| In-Floor Storage | • | • | S | S | S | S | • | • | • | • | • | • | • | • |

MISCELLANEOUS

| | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bow & Stern Castings with Handles | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Oar Locks | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Nonskid Interior | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Lockable Glove Box | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Toe Kicks | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Bilge Pump | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Ski Tow | • | • | • | • | 0 | 0 | • | • | • | • | • | • | • | • |
| Dual Steering | • | • | 0 | 0 | • | 0 | 0 | 0 | • | • | 0 | 0 | • | • |
| Hydraulic Steering | S | S | • | • | S | • | S | • | • | • | • | • | S | S |
| Tilt Steering | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Anti-Feedback Steering | • | • | 0 | 0 | • | 0 | • | 0 | • | • | • | • | • | • |
| Stainless Steel Bow Rail | • | • | • | • | S | S | • | • | • | • | • | • | • | • |
| Swim Platform | • | • | • | • | 0 | 0 | • | • | • | • | • | • | • | • |
| Tackle Tray | S | S | S | S | • | • | • | • | • | • | S | S | S | S |

CUP HOLDERS

| | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cup Holders | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

BATTERY/ACCESS

| | | | | | | | | | | | | | | |
|----------------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| Access Plate | 8" | 8" | 8" | 8" | 8" | 8" | 8" | 8" | 8" | 8" | 8" | 8" | 8" | 8" |
| Battery Compartments | 3 | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 2 |

CANVAS

| | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Fisherman's Top | S | S | 0 | • | S | 0 | 0 | 0 | 0 | • | 0 | • | • | • |
| Side Curtains | 0 | 0 | 0 | • | 0 | 0 | 0 | 0 | 0 | • | 0 | • | 0 | 0 |
| Aft Curtains | 0 | 0 | 0 | • | 0 | 0 | 0 | 0 | 0 | • | 0 | • | 0 | 0 |
| Walk-Thru Curtains | 0 | 0 | 0 | • | 0 | 0 | 0 | 0 | 0 | • | 0 | • | 0 | 0 |
| Bow Cover | 0 | 0 | 0 | • | 0 | 0 | 0 | 0 | 0 | • | 0 | • | 0 | 0 |
| Mooring Cover | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Bimini Top | • | • | • | • | • | • | • | • | • | • | • | • | 0 | 0 |

| | 162 Stinger | 161 Stinger | 161 Resorter | 160 Resorter | 168 Pro Mag | 140 Pro Mag | 16 Big Fisherman | 14 Big Fisherman | 157 Super Fisherman | 15 Alaskan Deluxe | 15 Alaskan | 13 Alaskan Deluxe | 12 Alaskan Deluxe | 12 Alaskan | 14 Canadian | 12 Canadian |
|-----------------------------------|-------------|-------------|--------------|--------------|-------------|-------------|------------------|------------------|---------------------|-------------------|------------|-------------------|-------------------|------------|-------------|-------------|
| LIGHTS | | | | | | | | | | | | | | | | |
| Navigation Lights | S | S | S | S | S | S | S | S | * | * | * | * | * | * | * | * |
| Bow Courtesy Light | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Stern Courtesy Light | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| SEATING | | | | | | | | | | | | | | | | |
| Movable Pedestals | 2 | 2 | 1 | 1 | 1 | 1 | * | * | * | * | * | * | * | * | * | * |
| Stationary Pedestal | * | * | * | S | 1 | 1 | * | * | * | * | * | * | * | * | * | * |
| Movable Helm Pedestal with Slider | S | S | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Movable Helm Pedestal | * | * | S | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Movable Hydraulic Pedestals | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Removable Backrest with Cushions | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Rear Fold Down Seats | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Bow Backrest with Cushions | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Seat Bases | 5 | 5 | 4 | 4 | 2 | 2 | 2 | * | * | * | * | * | * | * | * | * |
| Bass Seats | 3 | 3 | 2 | 2 | 2 | 2 | * | * | * | * | * | * | * | * | * | * |
| Additional Bass Seat with Stem | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * | * | * | * | * | * | * | * | * |
| Hydraulic Stem | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Aluminum Bench Seats | * | * | * | * | * | * | * | * | S | S | S | S | * | * | * | * |
| STORAGE | | | | | | | | | | | | | | | | |
| Center Rod Storage | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Lighted Port Rod Storage | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Lighted Starboard Rod Storage | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Port Rod Storage | S | S | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Starboard Rod Storage | * | * | * | * | S | S | * | * | * | * | * | * | * | * | * | * |
| Starboard Side Storage | S | S | * | * | * | * | S | S | * | * | * | * | * | * | * | * |
| Console Storage | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Rod Holders | S | S | * | * | * | * | S | S | * | S | S | S | S | * | * | * |
| Bow Storage | S | S | S | S | S | S | S | S | * | * | * | * | * | * | * | * |
| Stern Storage | S | S | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| In-Floor Storage | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| MISCELLANEOUS | | | | | | | | | | | | | | | | |
| Bow & Stern Castings with Handles | * | * | * | * | * | * | * | * | S | S | S | S | S | S | S | S |
| Door Locks | * | * | * | * | * | * | * | * | S | S | S | S | S | S | S | S |
| Nonskid Interior | * | * | * | * | * | * | * | * | S | S | S | S | S | S | S | S |
| Lockable Glove Box | S | S | * | * | S | S | * | * | * | * | * | * | * | * | * | * |
| Toe Kicks | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Bilge Pump | S | S | S | S | S | S | S | S | * | * | * | * | * | * | * | * |
| Ski Tow | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Dual Steering | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Hydraulic Steering | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Tilt Steering | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Anti-Feedback Steering | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Stainless Steel Bow Rail | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Swim Platform | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Tackle Tray | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| CUP HOLDERS | | | | | | | | | | | | | | | | |
| Cup Holders | S | S | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| BATTERY/ACCESS | | | | | | | | | | | | | | | | |
| Access Plate | 5" | 6" | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Battery Compartments | 1 | 1 | 1 | 1 | * | * | * | * | * | * | * | * | * | * | * | * |
| CANVAS | | | | | | | | | | | | | | | | |
| Fisherman's Top | 0 | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Side Curtains | 0 | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Aft Curtains | 0 | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Walk-Thru Curtains | 0 | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Bow Cover | 0 | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Mooring Cover | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * | * | |
| Bimini Top | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * | * |

Recirculating Livewell - R Timed Livewell - T



**FISHERMAN'S TOP,
CURTAINS AND COVERS**

To top it all off, we offer the Fisherman's Top and complete curtain packages, on most models. The top, as well as the side, aft and walk-thru curtains, go up quickly and easily, and the top comes with a boot for easy storage. The bow cover and mooring cover are perfect ways to keep your boat clean and dry and ready to go.



FISHERMAN'S TOP



**FISHERMAN'S TOP WITH AFT AND
SIDE CURTAINS AND BOW COVER**



MOORING COVER



WARRANTY

Smoker Craft warrants each new aluminum hull for a period of ten (10) years, lifetime warranty on all riveted seams, and each new fiberglass hull for a period of five (5) years, from the date of purchase by

the original purchaser (based on years of use under normal recommended operating conditions) as described in the warranty folder. A copy of the Smoker Craft Limited Warranty is attached to each new Smoker Craft boat, or may be obtained from any dealer or the Smoker Craft factory.



APPAREL

To complete the package, we offer an exclusive line of Smoker Craft shirts, jackets and hats. For your convenience, you may order online by visiting our website at www.smokercraft.com.



JBL® SOUND SYSTEM

Smoker Craft is pleased to offer legendary JBL® audio components engineered for the marine environment. The speakers are UV and water resistant with rubber surrounds, while the receivers include such features as electronic tuning, scan/seek functions, station presets, rolled silicone rubber buttons, and a water resistant, flip-down face.



CONSOLE

Select models feature our custom-molded consoles with deluxe gauges. Many boats also feature tilt steering, along with either hydraulic or anti-feedback steering. All of our consoles are ergonomically organized, with easy-to-read dials and easy-to-reach switches and circuit breakers. And, on dual console models, you'll also find beautiful Roman bronze and such amenities as a lockable glove box and molded cup holders.

SEATS

Comfort reigns throughout your boat, thanks to our advanced seats with pinch-proof hinges, contoured bottoms and backs, and resilient foam padding. Our roto-molded, wood-free construction ensures that the seats won't warp or rot.

TWICE-BAKED URETHANE PAINT

To give your boat a tough, long-lasting finish, we utilize an in-house paint process that begins with a special aluminum grade primer to ensure proper bonding. We then bake two coats of urethane-based paint to the hull.





SMOKER CRAFT
2006 FISHING



Smoker Craft, Inc.
P.O. Box 65 • New Paris, IN 46553

Smoker Craft, Inc. West
P.O. Box 219 • Stayton, OR 97383

Smoker Craft, Inc. South
P.O. Box 1267 • LaGrange, GA 30241

Smoker Craft, Inc. North
P.O. Box 129 • Minong, WI 54859

www.smokercraft.com

To talk to the dealer nearest you,
dial 866 719-7873.

Connects directly to dealer.
Please call during business hours.

MERCURY
"1 On The Water"

The specifications of any Smoker Craft boat are subject to change without notice.