



SMOKER CRAFT
FISHING BOATS
2000






Creating a great work of art is a challenging process. It takes years of experience, hard work, complete dedication to your craft, and an endless desire for perfection.

Just like paintings or sculptures, family boat building is an art that's been revised and refined through the centuries. Each generation has improved upon what they learned from the previous generation, then passed the knowledge on to the next, a cycle that continues to this day. While it's not our style to claim we build masterpieces, we do know how to create a work of boating art that's just right for you and your family.

For example, just as every creation needs a foundation, ours starts with our seamless, .100-gauge one-piece bottom, which forms the basis of your boat's incredible strength and superb hull integrity. Tremendous lateral strength and rigidity come from our rock-solid rib structure, which features .100-gauge, hand-fitted ribs on approximately 10-inch centers. With up to eight additional hat-shaped ribs backing up our powerful hull, your Smoker Craft will handle the roughest waters with ease.



Rib Construction

We build our floors with specially treated plywood that won't warp or rot, with a lifetime warranty giving you years of maintenance-free enjoyment.



Plywood Floor

Underneath, we fill every cavity with poured-in, gasoline-resistant urethane foam for maximum buoyancy, solid floor support and strength. The foam also deadens sound, eliminating creaky floors that might scare away the fish.


The Art of Family



Hydra-Lift Hull


All artists produce a distinctive look; ours is the Hydra-Lift hull. With its specialized reverse chine design keeping the bow down when you accelerate, the Hydra-Lift hull will get you out of the hole quicker, on plane faster and give you more precise trim control. It also gives you superb handling ability, and combines with our five-keel construction for a boat with immense strength and outstanding performance.

We also apply the right touches inside your Smoker Craft, like the fish-friendly Flow Rite livewell system. The fill pump (1) draws in water, pumping it into the livewell so it circulates at the bottom of the tank. An air hole in the top of the fill pipe (2) lets air mix with the water, creating the aeration necessary to keep the fish alive (3). The fill pump can be operated manually or on a timer, with extra water draining out of an overflow on the side of the boat. A separate recirculating pump (4) works in a continuous loop to keep aerated water moving in the livewell, even while heading back to the weigh-in or trailering. For easy cleaning, the livewell has a bottom drain (5), and the drain hose runs through the transom (6), not the floor.



Aerated Livewell

Boat Building



Lighted Livewell

In addition to their large openings and space-saving bi-fold doors, the lighted rod boxes make finding your rod much easier when night fishing. The spacious, aerated livewells come with timers, recirculating pumps and convenient control switches for easy operation, while the foam-backed lids provide superb insulation. And with the built-in light, you won't have to worry about losing your catch in the dark.



Lighted Rod Storage

While paintings usually cover a canvas, our canvas covers you. A fisherman's top, complete curtain package and bow cover are available for most models. Whether you want to keep out the sun or the rain, the top and



Fisherman's Top

curtains go up quickly and easily. The curtains zip open or shut, so you can let a cool breeze blow in or keep the rain out. The top comes with a boot for storage, and the bow cover keeps debris from littering your bow.



While boat building has changed dramatically over time, one thing has remained constant in those who've made it an art form: their passion for what they do. It's a passion that inspires each succeeding generation to create its own contributions and knowledge. And that's something we know a great deal about, because family boat building is not simply a business for us; it's our passion as well. Like the two generations you see here: company founder Barney Smoker sharing some design insights with his grandson, Tim, son of our vice president, Doug Smoker.

Just as artists sign their work, you'll see our name on every one of our boats. We're proud of the boats we build for you and your family, and since our family name is on each one, we work harder to make sure they're built right. We want you to appreciate and enjoy what we've created for you, so that you can use it as your own canvas to create family memories that you'll treasure for many years to come.


MERCURY
The Water Calls

Millentia

Smoker Craft rockets into the next millennium with the all-new Millentia Series.



17' Millentia DC



Fishing tip: Use the lightest possible tackle that will keep your bait on the bottom.

Millentia

	19' DC	17' DC	17' SC	16' DC	16' SC
Center Length	186"	172"	172"	160"	160"
Beam	96"	91"	91"	87"	87"
Depth	NA	36"	36"	36"	36"
Interior Depth	27"	24"	24"	23"	23"
Maximum H.P.	175*	125	125	75	75
Weight	1380	1260	1170	740	710
Weight Capacity	1750	1400	1400	1400	1400
Maximum Persons	8	5	5	5	5
Transom Width	96"	88"	88"	82 1/2"	82 1/2"
Transom Height	1.5	1.5	1.5	1.5	1.5
Bottom Gauge	125	080	080	080	080
Side Gauge	086	070	070	070	070

*All boats using greater than 125 H.P. outboards should have dual or hydraulic steering.



17' Millentia DC



Future

This feature-packed series includes new graphics and colors, plus wider beams and bottoms.



16' Millentia DC



16' Millentia SC



16' Millentia SC

Millentia Dry Storage (left)
and Rod Storage



Sleek and powerful, the Millentias are ready for a new century of fishing excitement.

Fazer Ultima Pro Mag



Fishing tip: Instead of using your fish/depth finder to locate fish, use it to locate structure they inhabit.


Aluminum Fishing Boats

	192 Fazer	182 Ultima	162 Pro Mag	161 Pro Mag
Center Length	18'10"	17'8"	16'5"	16'5"
Beam	87"	91"	84"	84"
Depth	42"	39"	34"	34"
Interior Depth	28"	25"	23"	23"
Maximum H.P.	175*	150*	90	90
Weight	1375	1080	960	920
Weight Capacity	1955	1400	1300	1300
Maximum Persons	8	6	5	5
Transom Width	84"	89"	74"	74"
Transom Height	1.5	1.5	1.5	1.5
Bottom Gauge	.100	.100	.080	.080
Side Gauge	.086	.080	.076	.076

*All boats using greater than 125 H.P. outboards should have dual or hydraulic steering.



192 Fazer



162 Pro Mag

MERCURY
The Water Calls

Leader



182 Ultima LiveWell (left)
and 182 Ultima Console



182 Ultima



161 Pro Mag

162 Pro Mag Bow Rod Storage (left), 162 Pro Mag Toe Kick,
and 162 Pro Mag Rear Workstation (right)



These boats are designed for all-around fishing fanatics. They're built for the roughest waters, and come loaded with the features, space and storage room that give you a professional edge.

Stinger


Our popular, versatile Stinger series gets even sharper with the addition of a new 17' dual console model.




Fishing tip: Fish move around & feed at different times and at tide changes, so keep moving or drifting over structure.

Stinger

	17' DC	16' DC	16' SC	16' Tiller
Center Length	178"	160"	160"	160"
Beam	80"	81½"	81½"	81½"
Depth	30"	33½"	33½"	33½"
Interior Depth	25"	25"	25"	25"
Maximum H.P.	115	60	60	60
Weight	910	660	600	540
Weight Capacity	1380	1200	1200	1200
Maximum Persons	6	5	5	5
Traverse Width	77½"	74½"	74½"	74½"
Traverse Height	LS	LS	LS	LS
Bottom Gauge	.080	.070	.070	.070
Side Gauge	.076	.064	.064	.064



16' Stinger SC



17' Stinger DC

MERCURY
The Water Calls

Sharp

Always rarin' to go, the Stingers will pierce through any water to take a stab at anything you want to catch.

16' Stinger Tiller



16' Stinger DC



Stinger Livewell



Stinger

Every Stinger is a ringer - just put it in the water and start hauling them in.




Fishing tip: Walleyes prefer water with a solid bottom of gravel or pebbles, so avoid loose or muddy bottoms.

Stinger

	15' SC	15' Tiller	14' SC
Center Length	150"	150"	145"
Beam	76"	76"	65"
Depth	30"	30"	28"
Interior Depth	22 1/2"	22 1/2"	21"
Maximum H.P.	40	40	25
Weight	520	460	375
Weight Capacity	1000	1000	780
Maximum Persons	4	4	4
Transom Width	70"	70"	60"
Transom Height	1.5	1.5	1.5
Bottom Gauge	.070	.070	.064
Side Gauge	.064	.064	.060



14 Stinger SC



15 Stinger Tiller

MERCURY
The Water Calls

Loyal



15' Slinger SC

Cobra



Fishing tip: Fish dark-colored lures on overcast days and bright-colored ones on sunny days.

Cobra

	V180	V180 GLX	V180 GLS
Center Length	18'0"	18'0"	18'0"
Beam	96"	96"	96"
Draft	1'6"	1'6"	1'6"
Dead Rise	19°	19°	19°
Maximum H.P.	175*	175*	175*
Weight	1275	1460	1460
Weight Capacity	1650	1650	1650
Maximum Persons	6	6	6

*All boats using greater than 125 H.P. outboards should have dual or hydraulic steering.



V180 Cobra OB GLS



V180 Cobra GLS

Strike

The Cobra strikes swift and sure. Slide behind the wheel of one of these malevolent predators, and you'll see why. Available in dual and single console models, Cobra features include rod holders, baitwells and plenty of storage, plus two glass-liner models for cleaning convenience.



V180 Cobra OB GLX



V180 Cobra OB

V180 GLX Cobra Rod Storage

V180 Cobra Toe Kick



Coiled up on a powerful, strong hull, you'll snake your way to lots of fish in a Cobra.

Stealth

You'll catch plenty of fish by surprise! The Stealth lets you sneak up on the fish, practically scaring them into your boat.



Fishing tip: Warm weather fronts trigger fish to feed in shallow waters.

Stealth

	192 DC	172 DC	141 SC
Center Length	18'10"	17'5"	14'2"
Beam	96"	85 1/2"	67 1/2"
Depth	38"	38"	30"
Interior Depth	27"	25"	22"
Maximum H.P.	175*	125	40
Weight	1360	820	380
Weight Capacity	1750	1380	1000
Maximum Persons	8	6	4
Transom Width	96"	74"	60"
Transom Height	1.5	1.5	1.5
Bottom Gauge	.125	.100	.064
Side Gauge	.086	.086	.060

*All boats using greater than 125 H.P. outboards should have dual or hydraulic steering.




192 Stealth DC

141 Stealth SC

Pursue

172 Stealth DC



192 Stealth DC

Bass

Two new feature-packed reasons bass everywhere know they can run, but they can't hide.



Fishing tip: Wind pushes food sources against the shoreline and structure, attracting baitfish and bass to shallower waters.


Bass

	17'	16'
Center Length	175"	162"
Beam	77"	73"
Depth	23"	23"
Interior Depth	16"	16"
Maximum H.P.	90	60
Weight	1140	980
Weight Capacity	1100	1080
Maximum Persons	4	4
Transom Width	75"	73"
Transom Height	1.5	1.5
Bottom Gauge	.100	.100
Side Gauge	.100	.100



16' Bass

Bass Under-seat Storage (top) and 17' Bass Dry Storage



17' Bass

Trophy



17 Bass Console



If you're a fisherman, you know how convenient the deck of the Bass is for catching the big ones.



17 Bass

Pro Tiller Pro Mag Big Fish



Fishing tip: Fish closer to shore at dusk, when predators move to shallower water to feed on baitfish.

Aluminum Fishing Boats

	160 Pro Tiller	168 Pro Mag	140 Pro Mag	16' Big Fish	14' Big Fish
Center Length	16'5"	16'10"	14'5"	16'5"	14'2"
Beam	80 1/2"	69"	67"	70 1/2"	68 1/2"
Depth	38"	33"	29 1/2"	31"	30"
Interior Depth	25"	22"	19"	22"	22"
Maximum H.P.	60	45	35	40	35
Weight	725	540	385	420	285
Weight Capacity	1300	1100	975	1100	1000
Maximum Persons	5	5	4	5	4
Transom Width	74"	59"	59"	63"	60"
Transom Height	LS	LS	LS/SS	LS	LS/SS
Bottom Gauge	.080	.064	.064	.064	.064
Side Gauge	.076	.060	.060	.060	.060



Explore

You and your family will enjoy a world of simple moments to treasure while onboard any of these simple treasures.

16' Big Fish



14' Big Fish



16' Pro Mag



Super Fisherman Voyager Canadian Sportsman Jon Boats



15' Super Fisherman



14' Canadian



1432 Jon

1232 Jon



1644 MVX Jon



12' Canadian

Aluminum Fishing Boats

	15' Super Fisherman	14' Voyager	14' Voyager	14' Canadian	12' Canadian	12' Sportsman	180 MV Jon	1750 MVX Jon	1644 MVX Jon	1550 MVX Jon	1444 MVX Jon	1648 LV Jon	1448 LV Jon	1436 LV Jon	1402 Jon	1232 Jon	1032 Jon
Center Length	15'5"	16'5"	14'2"	13'10"	11'9"	11'9"	18'5"	17'0"	16'0"	15'0"	14'0"	16'0"	14'0"	14'0"	14'0"	12'0"	10'0"
Beam	72"	70 1/2"	68 1/2"	58"	56"	52"	89"	74"	63"	74"	63"	72"	72"	57"	51"	51"	51"
Depth	32"	31"	30"	20"	20"	17"	24"	22"	22"	22"	22"	22"	22"	18"	16"	16"	16"
Interior Depth	22"	22"	30"	20"	20"	17"	20"	22"	22"	22"	22"	22"	22"	18"	16"	16"	16"
Maximum H.P.	40	40	35	15	10	7.5	65	45	35	45	25	35	25	20	7	6	3
Weight	290	420	230	130	112	93	500	365	300	335	280	295	260	185	140	120	100
Weight Capacity	1100	1100	1000	700	600	455	1350	1150	900	950	800	900	900	650	390	390	290
Maximum Persons	4	5	5	4	3	2	6	4	4	4	3	4	3	3	2	2	2
Transom Width	61"	63"	60"	50 1/2"	50 1/2"	46 1/2"	90"	73 1/2"	68"	73 1/2"	68"	71"	71"	56"	50"	50"	50"
Transom Height	LS	LS	LS/SS	SS	SS	SS	LS	LS	LS	LS	LS/SS	LS/SS	LS/SS	SS	SS	SS	SS
Bottom Gauge	.070	.064	.064	.050	.050	.050	.100	.080	.072	.072	.072	.072	.072	.064	.050	.050	.050
Side Gauge	.060	.060	.060	.050	.050	.050	.100	.080	.072	.072	.072	.072	.072	.064	.050	.050	.050

1032 Jon

1436 Jon

1448 Jon

1550 MV Jon

1648 Jon

Relax

Quietly get away from it all
by floating to a world of
tranquil contentment, far off
the beaten track.

14' Voyager

12' Sportsman

Standards & Options

17' MILLENTIA DC & SC

SEAT STANDARDS:

(5) Seat Bases • Helm Pedestal w/Slider
(2) Movable Pedestals • (3) Bass Seats

CONSOLE STANDARDS:

Curved Walk-thru Windshield (DC Only)
• Tachometer, Speedometer, Volt & Fuel Gauge
• Horn • Circuit Breakers • AM/FM Stereo
Cassette • Tilt Steering

STORAGE STANDARDS:

Lighted Rod Storage (Port & Star) • (2) Battery
Compartments • Bow Storage • Bow Dry Storage
• Console Tackle Tray (Star)

LIVWELL STANDARDS:

Lighted 30 Gallon (Stern) • Haulwell w/Backet
(Port & Star)

HULL STANDARDS:

Hydra-Lift Hull • Treated Floor w/Lifetime
Warranty • (5) Keels • 5-year Carpet Warranty

TROLLING STANDARDS:

Trolling Motor Panel

HARDWARE STANDARDS:

(4) 4" Cleats • 8" Access Plate

MISCELLANEOUS:

Bow Courtesy Light • Navigational Lights
• Bilge Pump • 20-gallon Fuel Tank • Twice-baked
Urethane Paint • (3) Cap Holders

OPTIONS:

Convertible Top (DC Only) • Side Curtains (DC
Only) • All Curtains (DC Only) • Walk-thru
Curtain (DC Only) • Bow Cover (DC Only)
• Mooring Cover • Hydraulic Steering
• Dual Steering • Seat Arms • Bass Seat
• Windshield (SC Only)

COLOR:

Black

16' MILLENTIA DC & SC

SEAT STANDARDS:

(5) Seat Bases • Helm Pedestal w/Slider
(2) Movable Pedestals • (3) Bass Seats

CONSOLE STANDARDS:

Curved Walk-thru Windshield (DC Only)
• Tachometer, Speedometer, Volt & Fuel Gauge
• Horn • Circuit Breakers • Tilt Steering

STORAGE STANDARDS:

Rod Storage (Port & Star) • (2) Battery
Compartments • Bow Storage

LIVWELL STANDARDS:

30 Gallon (Bow)

HULL STANDARDS:

Hydra-Lift Hull • Treated Floor w/Lifetime
Warranty • (5) Keels • 5-year Carpet Warranty

TROLLING STANDARDS:

Trolling Motor Panel

HARDWARE STANDARDS:

(4) 4" Cleats • 8" Access Plate

MISCELLANEOUS:

Navigational Lights • Bilge Pump
• 20-gallon Fuel Tank • Twice-baked Urethane
Paint • (3) Cap Holders • 365 Trolling Motor
• X-48 Lowrance Graph

OPTIONS:

Convertible Top (DC Only) • Side Curtains
(DC Only) • All Curtains (DC Only) • Walk-thru
Curtain (DC Only) • Bow Cover (DC Only)
• Mooring Cover • Seat Arms • Bass Seat

COLOR:

Black

192 FAZER DC

SEAT STANDARDS:

(5) Seat Bases • Driver's Pedestal w/Slider
(2) Movable Pedestals • (3) Bass Seats • Stern
Backrest Cushion

CONSOLE STANDARDS:

Curved Walk-thru Windshield • Tachometer,
Speedometer, Volt & Fuel Gauge • Horn • Circuit
Breakers • AM/FM Stereo Cassette • Tilt Steering
• Anti-feedback Steering

STORAGE STANDARDS:

Lighted Rod Storage (Port & Star) • (2) Battery
Compartments • Lockable Glove Box • (1) Tackle
Tray • Bow Storage • Side Panel Storage

LIVWELL STANDARDS:

Lighted 24 Gallon (Bow) • 9 Gallon (Stern)
• Timers, Recirculating Pump

HULL STANDARDS:

Gull Wing Hull • Treated Floor w/Lifetime
Warranty • (5) Keels • 5-year Carpet Warranty

TROLLING STANDARDS:

Trolling Motor Panel • Motor Tilt Switch

HARDWARE STANDARDS:

(4) 4" Cleats • 10" Access Plate

MISCELLANEOUS:

Bow Courtesy Light • Stern Courtesy Light
• Navigational Lights • Bilge Pump • 40-gallon
Fuel Tank • Twice-baked Urethane Paint
• Convertible Top • (3) Cap Holders
• Reinforced for Downriggers

OPTIONS:

Side Curtains • All Curtains • Walk-thru Curtain
• Bow Cover • Mooring Cover • Hydraulic
Steering • Tilt Hydraulic Steering • Dual Steering
• Seat Arms • Bass Seat

COLOR:

Black

182 ULTIMA DC

SEAT STANDARDS:

Driver's Pedestal w/Slider • (5) Seat Bases
(2) Movable Pedestals • (3) Bass Seats • Stern
Backrest

CONSOLE STANDARDS:

Curved Walk-thru Windshield • Tachometer,
Speedometer, Volt & Fuel Gauge • Horn • Circuit
Breakers • AM/FM Stereo Cassette • Tilt Steering
• Anti-feedback Steering

STORAGE STANDARDS:

Lighted Rod Storage (Port & Star) • Rod Storage
(Bow) • (2) Battery Compartments • Lockable
Glove Box • Tackle Tray • Stern Dry Storage

LIVWELL STANDARDS:

Lighted 20 Gallon (Bow) • 21 Gallon (Stern)

HULL STANDARDS:

Hydra-Lift Hull • Treated Floor w/Lifetime
Warranty • (5) Keels • 5-year Carpet Warranty
• Timers, Recirculating Pump

TROLLING STANDARDS:

Trolling Motor Panel • Motor Tilt Switch
• Battery Check Gauge

HARDWARE STANDARDS:

(4) 4" Cleats • 10" Access Plate

MISCELLANEOUS:

Bow Courtesy Light • Navigational Lights
• Bilge Pump • 40-gallon Fuel Tank • Twice-baked
Urethane Paint • (3) Cap Holders • Reinforced
for Downriggers

OPTIONS:

Convertible Top • Side Curtains • All Curtains
• Walk-thru Curtain • Bow Cover • Mooring Cover
• Hydraulic Steering • Dual Steering • Seat Arms
• Bass Seat

COLOR:

Black • Tomato Red

162 & 161 PRO MAG

SEAT STANDARDS:

(5) Seat Bases • Driver's Pedestal w/Slider
(2) Movable Pedestals • (3) Bass Seats

CONSOLE STANDARDS:

Curved Walk-thru Windshield (162 Only)
• Tachometer, Speedometer, Volt & Fuel Gauge
• Horn • Circuit Breakers • AM/FM Stereo
Cassette

STORAGE STANDARDS:

Lighted Rod Storage (Port & Star) • (2) Battery
Compartments • Lockable Glove Box • Tackle
Tray • Bow Storage • Stern Storage

LIVWELL STANDARDS:

20 Gallon (Bow) • 18 Gallon (Stern) • Timers,
Recirculating Pump

HULL STANDARDS:

Hydra-Lift Hull • Treated Floor w/Lifetime
Warranty • (5) Keels • 5-year Carpet Warranty

TROLLING STANDARDS:

Trolling Motor Panel • Motor Tilt Switch

HARDWARE STANDARDS:

(4) 4" Cleats • 8" Access Plate

MISCELLANEOUS:

Bow Courtesy Light • Stern Courtesy Light
• Navigational Lights • Bilge Pump • 20-gallon
Fuel Tank • Twice-baked Urethane Paint

OPTIONS:

Side Curtains (162 Only) • All Curtains (162
Only) • Walk-thru Curtain (162 Only) • Bow
Cover (162 Only) • Mooring Cover • Seat Arms
• Windshield (161 Only) • Bass Seat • Tilt Steering

COLOR:

Black • Tomato Red

17' STINGER DC

SEAT STANDARDS:

Helm Pedestal • (4) Seat Bases • (2) Movable
Pedestals • (3) Bass Seats

CONSOLE STANDARDS:

Curved Walk-thru Windshield • Tachometer,
Speedometer, Volt & Fuel Gauge • AM/FM
Stereo Cassette

STORAGE STANDARDS:

Rod Storage (Port & Star) • Bow Storage

LIVWELL STANDARDS:

25 Gallon (Bow) • 15 Gallon (Stern)

HULL STANDARDS:

Gull Wing w/10-year Warranty • Treated Floor
w/Lifetime Warranty • (5) Keels • 5-year Carpet
Warranty

TROLLING STANDARDS:

Trolling Motor Plug

HARDWARE STANDARDS:

(4) 4" Cleats • 8" Access Plate

MISCELLANEOUS:

Navigational Lights • Bilge Pump • 20-gallon Fuel
Tank • Twice-baked Urethane Paint

OPTIONS:

Convertible Top • Side Curtains • All Curtains
• Walk-thru Curtain • Bow Cover • Mooring Cover
• Hydraulic Steering • Seat Arms • Bass Seat

COLOR:

Black

16' STINGER DC & SC

SEAT STANDARDS:

Driver's Pedestal • (4) Seat Bases • (2) Movable
Pedestals • (3) Bass Seats

CONSOLE STANDARDS:

Curved Walk-thru Windshield (DC Only)
• Speedometer & Fuel Gauge

STORAGE STANDARDS:

Rod Storage (Port & Star) • (1) Battery
Compartment • Lockable Glove Box (DC Only)
• Bow Storage • Stern Storage

LIVWELL STANDARDS:

25 Gallon (Bow)

HULL STANDARDS:

Semi V-Hull • Treated Floor w/Lifetime Warranty
• (3) Keels • 5-year Carpet Warranty

TROLLING STANDARDS:

Trolling Motor Plug

HARDWARE STANDARDS:

6" Access Plate

MISCELLANEOUS:

Navigational Lights • Bilge Pump
• 16-gallon Fuel Tank • Twice-baked Urethane
Paint • (2) Cap Holders

OPTIONS:

Convertible Top (DC Only) • Side Curtains (DC
Only) • All Curtains (DC Only) • Bow Cover (DC
Only) • Mooring Cover • Seat Arms • Bass Seat
• AM/FM Stereo Cassette • Windshield (SC Only)

COLOR:

Black

16' STINGER TILLER

SEAT STANDARDS:

(4) Seat Bases • (1) Stationary Pedestal
(2) Movable Pedestals • (3) Bass Seats

STORAGE STANDARDS:

Rod Storage (Port & Star) • (2) Battery
Compartment • Bow Storage • Stern Storage

LIVWELL STANDARDS:

25 Gallon (Bow)

HULL STANDARDS:

Semi V-Hull • Treated Floor w/Lifetime Warranty
• (3) Keels • 5-year Carpet Warranty

TROLLING STANDARDS:

Trolling Motor Plug

HARDWARE STANDARDS:

6" Access Plate

MISCELLANEOUS:

Navigational Lights • Bilge Pump • 16-gallon Fuel
Tank • Twice-baked Urethane Paint • (2) Cap
Holders

OPTIONS:

Mooring Cover • Seat Arms • Bass Seat

COLOR:

Black

15' STINGER SC

SEAT STANDARDS:

Driver's Pedestal • (3) Seat Bases • (2) Movable
Pedestals • (3) Bass Seats

CONSOLE STANDARDS:

Starboard Console • Speedometer & Fuel Gauge

STORAGE STANDARDS:

(1) Battery Compartment • Bow Storage

LIVWELL STANDARDS:

24 Gallon (Stern)

HULL STANDARDS:

Semi V-Hull • Treated Floor w/Lifetime Warranty
• (3) Keels • 5-year Carpet Warranty

TROLLING STANDARDS:

Trolling Motor Plug

HARDWARE STANDARDS:

8" Access Plate

MISCELLANEOUS:

Navigational Lights • Bilge Pump • Twice-baked
Urethane Paint • (2) Cap Holders • (1) Pair Rod
Holders

OPTIONS:

Windshield • Mooring Cover • Seat Arms
• Bass Seat

COLOR:

Black

15' STINGER TILLER

SEAT STANDARDS:

(4) Seat Bases • (1) Stationary Pedestal
(1) Movable Pedestal • (2) Bass Seats

STORAGE STANDARDS:

(1) Battery Compartment • Bow Storage

LIVWELL STANDARDS:

24 Gallon (Stern)

HULL STANDARDS:

Semi V-Hull • Treated Floor w/Lifetime Warranty
• (3) Keels • 5-year Carpet Warranty

TROLLING STANDARDS:

Trolling Motor Plug

HARDWARE STANDARDS:

8" Access Plate

MISCELLANEOUS:

Navigational Lights • Bilge Pump
• Twice-baked Urethane Paint • (2) Cap Holders
• (1) Pair Rod Holders

OPTIONS:

Mooring Cover • Seat Arms • Bass Seat

COLOR:

Black

14' STINGER SC

SEAT STANDARDS:

Driver's Pedestal • (3) Seat Bases
(1) Movable Pedestal • (2) Bass Seats

CONSOLE STANDARDS:

Starboard Console

STORAGE STANDARDS:

Bow Storage

LIVWELL STANDARDS:

11 Gallon (Port)

HULL STANDARDS:

Semi V-Hull • Treated Floor w/Lifetime Warranty
• (3) Keels • 5-year Carpet Warranty

TROLLING STANDARDS:

Trolling Motor Plug

HARDWARE STANDARDS:

6" Access Plate

MISCELLANEOUS:

Navigational Lights

OPTIONS:

Mooring Cover • Seat Arms • Bass Seat

COLOR:

Black

V180 COBRA OB

SEAT STANDARDS:

(5) Seat Bases • Helm Pedestal w/Slider
(1) Movable Hydraulic Pedestal • (1) Movable
Pedestal • (3) Bass Seats

CONSOLE STANDARDS:

Curved Walk-thru Windshield • Speedometer,
Tachometer, Volt Meter & Fuel Gauge
• 12-volt Receptacle • AM/FM Stereo Cassette
• Anti-feedback Steering • Horn • Tilt Steering

STORAGE STANDARDS:

Rod Storage (Port & Star) • (2) Battery
Compartments • Bow Storage • Stern Storage

LIVWELL STANDARDS:

30 Gallon (Bow) • 30 Gallon (Stern)

HULL STANDARDS:

ISO NPG Marine Gel Coat 7-layer Construction

TROLLING STANDARDS:

Trolling Motor Panel • Motor Tilt Switch

HARDWARE STANDARDS:

(4) Stainless Steel Cleats • 8" Access Plate

MISCELLANEOUS:

37-gallon Fuel Tank • Bow Courtesy Light
• Navigational Lights • Bilge Pump
• Color-coordinated Top

OPTIONS:

Side Curtains • Air Curtain • Bow Cover
• Mooring Cover • Hydraulic Steering • Tilt
Hydraulic Steering • Dual Steering • Bass Seat

COLORS:

Blue • Red • Sage • Black

V180 COBRA GLX

SEAT STANDARDS:

Helm Pedestal w/Slider • (5) Seat Bases
• (1) Movable Hydraulic Pedestal • (1) Movable
Pedestal • (3) Bass Seats

CONSOLE STANDARDS:

Curved Walk-thru Windshield • Speedometer,
Tachometer, Volt Meter & Fuel Gauge
• 12-volt Receptacle • AM/FM Stereo Cassette
• Anti-feedback Steering • Horn • Tilt Steering

STORAGE STANDARDS:

Rod Storage (Port & Star) • (2) Battery
Compartments • Bow Storage • Stern Storage
• In-floor Storage

LIVELINE STANDARDS:

30 Gallon (Bow) • 30 Gallon (Stern)

HULL STANDARDS:

ISO NPG Marine Gel Coat 7-layer Construction

TROLLING STANDARDS:

Trolling Motor Panel • Battery Check Gauge
• Motor Tilt Switch

HARDWARE STANDARDS:

(4) Stainless Steel Cleats • 8" Access Plate

MISCELLANEOUS:

37-gallon Fuel Tank • Bow Courtesy Light
• Navigational Lights • Bilge Pump
• Color-coordinated Top

OPTIONS:

Side Curtains • Air Curtain • Bow Cover
• Mooring Cover • Hydraulic Steering • Tilt
Hydraulic Steering • Dual Steering • Bass Seat

COLORS:

Blue • Red • Sage • Black

V180 COBRA GLS

SEAT STANDARDS:

(5) Seat Bases • Helm Pedestal w/Slider
• (1) Movable Hydraulic Pedestal • (1) Movable
Pedestal • (3) Bass Seats

CONSOLE STANDARDS:

Windshield • Speedometer, Tachometer, Volt Meter
& Fuel Gauge • 12-volt Receptacle • AM/FM
Stereo Cassette • Anti-feedback Steering • Horn
• Tilt Steering

STORAGE STANDARDS:

Rod Storage (Port & Star) • (2) Battery
Compartments • Bow Storage • Stern Storage
• In-floor Storage

LIVELINE STANDARDS:

30 Gallon (Bow) • 30 Gallon (Stern)
• Bow Baitwell • Stern Baitwell

HULL STANDARDS:

ISO NPG Marine Gel Coat 7-layer Construction

TROLLING STANDARDS:

Trolling Motor Panel • Battery Check Gauge
• Motor Tilt Switch

HARDWARE STANDARDS:

(4) Stainless Steel Cleats • 8" Access Plate

MISCELLANEOUS:

37-gallon Fuel Tank • Bow Courtesy Light
• Navigational Lights • Bilge Pump

OPTIONS:

Mooring Cover • Hydraulic Steering • Tilt
Hydraulic Steering • Dual Steering • Bass Seat

COLORS:

Blue • Red • Sage • Black

192 STEALTH DC

SEAT STANDARDS:

(4) Seat Bases • Helm Pedestal w/Slider
• (2) Movable Pedestals • (3) Bass Seats

CONSOLE STANDARDS:

Curved Walk-thru Windshield • Tachometer,
Speedometer, Volt & Fuel Gauge • Horn • Circuit
Breakers • AM/FM Stereo Cassette • Tilt Steering
• Anti-feedback Steering

STORAGE STANDARDS:

Lighted Rod Storage (Port & Star) • Starboard
Storage • (3) Battery Compartments • Lockable
Glove Box • Console Storage (Port & Star)

LIVELINE STANDARDS:

Lighted 30 Gallon (Bow) • Timers, Recirculating
Pump

HULL STANDARDS:

Gull Wing Hull • 10-year Warranty • Treated Floor
w/Lifetime Warranty • (5) Keels • Vinyl Floor
Covering

TROLLING STANDARDS:

Trolling Motor Panel

HARDWARE STANDARDS:

(4) 6" Cleats • 8" Access Plate

MISCELLANEOUS:

Navigational Lights • Bilge Pump • 40-gallon Fuel
Tank • Twice-baked Urethane Paint • Cap Holders
• Reinforced for Downriggers

OPTIONS:

Convertible Top • Side Curtains • Air Curtains
• Walk-thru Curtains • Bow Cover • Mooring Cover
• Hydraulic Steering • Dual Steering • Seat Arms
• Bass Seat

COLOR:

Black

172 STEALTH DC

SEAT STANDARDS:

(5) Seat Bases • Driver's Pedestal w/Slider
• (2) Movable Pedestals • (3) Bass Seats

CONSOLE STANDARDS:

Curved Walk-thru Windshield • Tachometer,
Speedometer, Volt & Fuel Gauge • Horn
• Circuit Breakers

STORAGE STANDARDS:

Rod Storage (Port & Star) • (2) Battery
Compartments • Lockable Glove Box • Bow
Storage • Under Console Storage

LIVELINE STANDARDS:

Lighted 30 Gallon (Bow) • Timers, Recirculating
Pump

HULL STANDARDS:

Gull Wing Hull • Treated Floor w/Lifetime
Warranty • (5) Keels • Vinyl Floor Covering

TROLLING STANDARDS:

Trolling Motor Plug

HARDWARE STANDARDS:

(4) 6" Cleats • 8" Access Plate

MISCELLANEOUS:

Navigational Lights • Bilge Pump
• 30-gallon Fuel Tank • Twice-baked Urethane
Paint • (1) Cap Holder

OPTIONS:

Convertible Top • Side Curtains • Air Curtains
• Walk-thru Curtains • Bow Cover • Mooring Cover
• Dual Steering • Seat Arms • Bass Seat • AM/FM
Stereo Cassette

COLOR:

Black

141 STEALTH SC

SEAT STANDARDS:

(1) Seat Base • (1) Movable Pedestal
• (2) Bass Seats

CONSOLE STANDARDS:

Driver's Console

STORAGE STANDARDS:

Bow Storage • Starboard Side Storage

LIVELINE STANDARDS:

18 Gallon (Port)

HULL STANDARDS:

Soft Chine Hull • Treated Floor w/Lifetime
Warranty • (3) Keels • Vinyl Floor Covering

TROLLING STANDARDS:

Trolling Motor Plug

MISCELLANEOUS:

Navigational Lights • (1) Pair Rod Holders

OPTIONS:

Windshield • Mooring Cover • Seat Arms
• Bass Seat

COLOR:

Black

17' BASS BOAT

SEAT STANDARDS:

(2) Seat Bases • (4) Bass Seats

CONSOLE STANDARDS:

Starboard Console • Tachometer, Speedometer,
Volt & Fuel Gauge • Horn

STORAGE STANDARDS:

Rod Storage (Port) • (4) Large Storage Areas
• (2) Battery Compartments • Under Helm Seat
• Under Passenger Seat • Drain-in Plastic w/Drain

LIVELINE STANDARDS:

27 Gallon (Stern) • 20 Gallon (Bow)

HULL STANDARDS:

Hydra-Lift Hull

TROLLING STANDARDS:

Trolling Motor Plug

HARDWARE STANDARDS:

(4) 6" Cleats • 8" Access Plate

MISCELLANEOUS:

Bow Courtesy Light • Stern Courtesy Light
• Navigational Lights • Bilge Pump • Cap Holders
• Windshield • 16-gallon Fuel Tank

OPTIONS:

Mooring Cover

COLOR:

Emerald

16' BASS BOAT

SEAT STANDARDS:

(2) Seat Bases • (4) Bass Seats

CONSOLE STANDARDS:

Starboard Console • Tachometer, Speedometer,
Volt & Fuel Gauge

STORAGE STANDARDS:

Rod Storage (Port) • (4) Large Storage Areas
• (2) Battery Compartments • Under Helm Seat
• Under Passenger Seat

LIVELINE STANDARDS:

27 Gallon (Stern)

HULL STANDARDS:

Hydra-Lift Hull • (1) Center Keel

TROLLING STANDARDS:

Trolling Motor Plug

HARDWARE STANDARDS:

(4) 6" Cleats • 8" Access Plate

MISCELLANEOUS:

Bow Courtesy Light • Stern Courtesy Light
• Navigational Lights • Bilge Pump • Cap Holders
• Windshield • 12-gallon Fuel Tank

OPTIONS:

Mooring Cover

COLOR:

Emerald

160 PRO TILLER

SEAT STANDARDS:

(3) Seat Bases • (1) Stationary Pedestal
• (2) Movable Pedestals • (3) Bass Seats

CONSOLE STANDARDS:

Tachometer, Speedometer, Volt & Fuel Gauge
• Circuit Breakers

STORAGE STANDARDS:

Rod Storage (Port & Star) • (1) Battery
Compartment • Bow Storage • Stern Storage

LIVELINE STANDARDS:

21 Gallon (Bow)

HULL STANDARDS:

Gull Wing Hull • Treated Floor w/Lifetime
Warranty • (5) Keels • 5-year Carpet Warranty

TROLLING STANDARDS:

Trolling Motor Panel • Motor Tilt Switch

HARDWARE STANDARDS:

(4) 4" Cleats • 8" Access Plate

MISCELLANEOUS:

Bow Courtesy Light • Stern Courtesy Light
• Navigational Lights • Bilge Pump • 20-gallon
Fuel Tank • Twice-baked Urethane Paint

OPTIONS:

Mooring Cover • Seat Arms • Bass Seat

COLOR:

Black

168 & 140 PRO MAG

SEAT STANDARDS:

(3) Seat Bases • (1) Stationary Pedestal
• (1) Movable Pedestal • (2) Bass Seats

STORAGE STANDARDS:

Rod Storage (Star) • Bow Storage

• Lockable Glove Box

LIVELINE STANDARDS:

21 Gallon (168) • 15 Gallon (140)

HULL STANDARDS:

Soft Chine Hull • Treated Floor w/Lifetime
Warranty • (3) Keels • 5-year Carpet Warranty

TROLLING STANDARDS:

Trolling Motor Plug

MISCELLANEOUS:

Navigational Lights • Bilge Pump
• (2) Cap Holders (168 Only)

OPTIONS:

Mooring Cover • Seat Arms • Bass Seat

COLOR:

Emerald

16' BIG FISHERMAN

SEAT STANDARDS:

(2) Seat Bases

CONSOLE STANDARDS:

Circuit Breakers

STORAGE STANDARDS:

Bow Storage • Side Storage (Star)

LIVELINE STANDARDS:

25 Gallon (Port)

HULL STANDARDS:

Treated Floor w/Lifetime Warranty • (3) Keels
• 5-year Carpet Warranty

MISCELLANEOUS:

Navigational Lights • Bilge Pump • Rod Holders
(Port & Star)

OPTIONS:

Starboard Console • Mooring Cover • Seat Arms
• Bass Seat

COLOR:

Torador Red

14' BIG FISHERMAN

CONSOLE STANDARDS:

Circuit Breakers

STORAGE STANDARDS:

Side Storage (Star)

LIVELINE STANDARDS:

21 Gallon (Port)

HULL STANDARDS:

Treated Floor w/Lifetime Warranty • (3) Keels
• 5-year Carpet Warranty

MISCELLANEOUS:

Navigational Lights • Rod Holders (Port & Star)

OPTIONS:

Starboard Console • Mooring Cover

COLOR:

Torador Red

15' SUPER FISHERMAN

SEAT STANDARDS:

(4) Aluminum Bench Seats

HULL STANDARDS:

(3) Keels

HARDWARE STANDARDS:

Our Locks • Bow & Stern Castings w/Handles

MISCELLANEOUS:

Non-skid Interior • Painted Exterior

OPTIONS:

Driver's Console • Mooring Cover

COLOR:

Torador Red

16' & 14' VOYAGER

SEAT STANDARDS:

(4) Aluminum Bench Seats (16)
• (3) Aluminum Bench Seats (14)

HULL STANDARDS:

Soft Chine Hull • (3) Keels

HARDWARE STANDARDS:

Our Locks • Bow & Stern Castings w/Handles

MISCELLANEOUS:

Non-skid Interior • Painted Exterior

• (2) Pair Rod Holders

OPTIONS:

Driver's Console • Mooring Cover

COLOR:

Torador Red

14' & 12' CANADIAN

SEAT STANDARDS:

(3) Aluminum Bench Seats

HARDWARE STANDARDS:

Our Locks • Bow & Stern Castings w/Handles

MISCELLANEOUS:

Non-skid Interior • Painted Exterior

12' SPORTSMAN

SEAT STANDARDS:

(3) Aluminum Bench Seats

HARDWARE STANDARDS:

Our Locks • Bow & Stern Castings w/Handles

MISCELLANEOUS:

Non-skid Interior





Smoker Craft Clothing

Complete your boating wardrobe with Smoker Craft shirts, jackets and hats. For more information, send an e-mail message to service@sullivanssportswear.com.

10-year Limited Warranty

Smoker Craft warrants each new fiberglass hull for a period of five (5) years, and each new riveted aluminum hull for a period of ten (10) years, from the date of purchase by the original purchaser (based on years of use, under normal recommended operating conditions) as described in the warranty folder. A copy of the Smoker Craft Limited Warranty is attached to each new Smoker Craft boat, or may be obtained from any dealer or the Smoker Craft factory.

Accessories

Smoker Craft offers a wide range of accessories which add function and versatility. Livewells, windshield accessories, side steering consoles and swivel seats with arms are fishing boat accessories available separately. Mooring covers and pontoon furniture covers are other selections available.

The specifications of any Smoker Craft boat are subject to change without notice. Optional equipment is shown in some photographs in this catalog. Please confirm standards and options for all models with your dealer. Information on the Smoker Craft warranty is available upon request. Please direct all inquiries to the Smoker Craft corporate office.

Be sure to ask your dealer about our pontoon and fiberglass boats.



Visit us on the Internet at www.SmokerCraft.com



Smoker Craft
P.O. Box 65
New Paris, IN 46553
(219) 831-2103
Fax: (219) 831-7003

Smoker Craft West
P.O. Box 219
Stayton, OR 97383
(503) 769-2996
Fax: (503) 769-5835

Smoker Craft South
P.O. Box 1267
LaGrange, GA 30241
(706) 882-1438
Fax: (706) 882-9562

MERCURY
The Water Calls