

SMOKERCRAFT

MILLENTIA PRO ANGLER HYDRA-LIFT HULL ★ ★ ★ JON BOATS

★ ★ RESORTER

ULTIMA COBRA PRO MAG

SINCE 1964

FISHING BOATS



2007





2007

THREE GENERATIONS AND COUNTING


SMALL MOUTH
LARGE MOUTH
BASS
BLACK CRAPPIE

WALLEYE LAKE
CHINOOK SALMON
KING SALMON
MUSKIE

★ ★ WHIT

CONTENTS

FEATURES	04
CONSTRUCTION	06
MILLENTIA	08
ULTIMA	10
PRO MAG	12
PRO ANGLER	14
COBRA	16
RESORTER	18
PRO MAG • BIG FISHERMAN	20
JONS • UTILITIES	22
STANDARDS • OPTIONS	24



Smoker Craft. It's a name that's been synonymous with fishing for more than 40 years. It's also a name recognized for quality, experience and innovation. But, perhaps most of all, it's a name that means family. Three generations of our family have dedicated their lives to building the best boats on the water, so you can enjoy special moments with your own family.

We invite you to explore our exciting lineup of 2007 fishing boats. Whether you're a weekend angler or are gearing up for the pros, there's something here for everyone who enjoys the water. So get ready to have some fun with Smoker Craft. The first family of boats.



At Smoker Craft, we know there are lots of fishing boats out there. So when someone asks, "Why buy a Smoker Craft?" we have the answer with a long list of features and amenities, including our exclusive Hydra-Lift Hull with a specialized reverse chine design for superior acceleration and control. We also offer unique touches like our custom-molded consoles, roto-molded seats and twice-baked urethane paint.



FISHERMAN'S TOP, CURTAINS AND COVERS

To top it all off, we offer the Fisherman's Top and complete curtain packages, on most models. The top, as well as the side, aft and walk-thru curtains, go up quickly and easily, and the top comes with a boot for easy storage. The mooring cover is a perfect way to keep your boat clean and dry and ready to go.

FISHERMAN'S TOP



FISHERMAN'S TOP WITH AFT AND SIDE CURTAINS AND BOW COVER

MOORING COVER



ERGONOMIC DESIGN | HYDRAULIC STEERING | LONG-LASTING FINISH | CONTOURED HULL

PINCH-PROOF HINGES | RESILIENT FOAM PADDING | TILT WHEEL | BOTTOMS AND BACKS

HEAVY-DUTY CONSTRUCTION | DELUXE GAUGES | LIFETIME WARRANTY ON ALL RIVETED SEAMS | HYDRA-LIFT HULL



CONSOLE

Select models feature our custom-molded consoles with deluxe gauges. Many boats feature tilt steering, along with either hydraulic or anti-feedback steering. All of our consoles are ergonomically organized, with easy-to-read dials and easy-to-reach switches and circuit breakers. And, on dual console models, you'll also find such amenities as a lockable glove box and molded cup holders.

TWICE-BAKED URETHANE PAINT

To give your boat a tough, long-lasting finish, we utilize an in-house paint process that begins with a special aluminum grade primer to ensure proper bonding. We then bake two coats of urethane-based paint to the hull.



SEATS

Comfort reigns throughout your boat, thanks to our advanced seats with contoured bottoms and backs and resilient foam padding. Our roto-molded, wood-free construction ensures that the seats won't warp or rot.

**LIFETIME WARRANTY
ON ALL RIVETED SEAMS**

WARRANTY

Smoker Craft warrants each new aluminum hull for a period of ten (10) years, lifetime warranty on all riveted seams from the date of purchase by the original purchaser (based on years of use under normal recommended operating conditions) as described in the warranty folder. A copy of the Smoker Craft Limited Warranty is attached to each new Smoker Craft boat or may be obtained from any dealer or the Smoker Craft factory.

A COMMITMENT TO QUALITY. FROM OUR FAMILY TO YOURS.

When you get a Smoker Craft, you can be sure you're getting a well-designed boat that's built with outstanding materials and state-of-the-art production. Whether it's our quick planing performance, large open bows, smoother ride or industry-leading warranties — you can see here just how it's done. Because to us, there's no mystery to building great boats. It's the sum of every superior detail.


ADVANCED INTEGRATED RIB SYSTEM:

The choice is clear! Our exclusive Advanced Integrated Rib System utilizes hand-fitted, hat-shaped ribs for superior longitudinal strength and rigidity that simply outperforms our competitors' double-plated aluminum.





THE FLOW RITE LIVEWELL SYSTEM:

This clever design features a fill pump that draws in water, circulating it at the bottom of the tank. An air hole in the top of the fill pipe allows air to mix with the water, keeping fish healthy. The fill pump may be operated manually or on a timer with excess water draining out of an overflow. Plus, a separate recirculating pump works in a continuous loop to keep aerated water moving in the livewell. This is especially helpful when you're refueling or drifting through stagnant water. For easy cleaning, the livewell has a bottom drain, and the hose runs through the transom, not the floor.



THE HYDRA-LIFT HULL:

You'll have superior acceleration and control thanks to this exclusive specialized reverse chine design. It keeps the bow down as you accelerate, getting you out of the hole faster.



ERGONOMIC HYDRAULIC STEERING
DESIGN • TILT WHEEL FINISH
HEAVY-DUTY CONSTRUCTION • RESILIENT FOAM
LIFETIME WARRANTY ON ALL RIVETED SEAMS
CONToured
BOTTOMS AND BACKS
DELUXE GAUGES

CONSTRUCTION FEATURES

1. CARPET

Your whole family can rely on the durability of our premium grade, 100% UV stabilized marine carpet, with a 5-year warranty.

2. XL PLYWOOD FLOORS

Our floors carry a lifetime warranty, thanks to our specially treated XL plywood that's guaranteed not to warp or rot.

3. URETHANE FOAM


One step aboard, and you'll notice the strength and solid support of the floor. That's because we fill every cavity with gasoline-resistant urethane foam to eliminate water pockets and give your boat maximum buoyancy and a quieter ride.

4. RIB SYSTEM

Peel back the layers, and you'll see our recipe for a stronger boat. It includes a .125 one-piece bottom, with .125 gauge hand-fitted ribs on 10" centers — the type of construction you'll find on many of our boats. Combine this lateral strength with five keels running longitudinally, and you get superior impact resistance and improved lift, handling, bottom support and protection.


5. 5-KEEL CONSTRUCTION

Once you've experienced the unmatched stability and handling of five external keels, you'll know why they're so important. The keels also protect your boat from objects beneath the surface, as well as from the wear-and-tear of trailering.



RAKED BACK BOW

This innovative bow design features an integrated spray rail and gives you not only a smoother, drier ride — but also more room in the bow up above. The .125 one-piece bottom and double-riveted seams combine to give the bow its unmatched strength.



**SPECIFICATIONS****MILLENTIA**

	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge	Rib Gauge
192 MILLENTIA	18' 10"	96"	38"	27"	96"	XLS	1575	8	1750	175	40	.125	.086	.125
172 MILLENTIA	17' 2"	91"	36"	26"	88"	LS	1325	5	1400	135	24	.100	.086	.100

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.

MILLENTIA

192 • 172

HYDRA-LIFT V-HULL

FLIP-UP BREATHING SEATS

LIFETIME WARRANTY ON ALL RIVETED SEAMS

TAKEING SPACIOUS FLOORPLAN

BIG WATER QUALITY

09
SMOKERCRAFT



DRIVER'S CONSOLE

ONE WORD DESCRIBES MILLENTIA'S CONSOLE — EASY. GAUGES ARE EASY TO READ. SWITCHES AND CIRCUIT BREAKERS ARE EASY TO REACH.



FLIP-UP SEAT

THE SPACIOUS STERN CASTING DECK QUICKLY CONVERTS TO COMFORTABLE PASSENGER SEATING WITH CONVENIENT FLIP-UP SEATS.



SNAP-IN CARPET

IN THE MORNING YOU'VE GOT A FISHING BOAT WITH AN EASY-TO-CLEAN VINYL FLOOR. LATER, JUST SNAP IN THE PREMIUM GRADE CARPET AND YOU'VE GOT A FAMILY CRUISER.



ROD STORAGE

THE MILLENTIA HOLDS AN UNBELIEVABLE EIGHT RODS WITH ROOM LEFT FOR REMOVABLE TACKLE TRAYS.



192 MILLENTIA



172 MILLENTIA



MILLENTIA 192



SPECIFICATIONS

ULTIMA

	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge	Rib Gauge
192 ULTIMA	18' 10"	96"	38"	27"	96"	XLS	1575	8	1750	175	40	.125	.086	.125
172 ULTIMA	17' 2"	91"	36"	26"	88"	LS	1330	5	1400	135	24	.100	.086	.100

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.

ULTIMA 192•172 FISHING

ULTIMATE VERSATILITY

LIFETIME WARRANTY ON ALL RIVETED SEAMS

HYDRA-LIFT V-HULL SNAP-IN CARPET BIG FUN

SMOKERCRAFT | 11



CONVERT-A-BOW

THE VERSATILE ULTIMA HAS A UNIQUE BOW THAT HOUSES A FISHING SEAT OR EASILY CONVERTS TO A WALK-IN DESIGN WITH FAMILY-STYLE SEATING.

STERN SEATS

MORE SEATING IS AVAILABLE IN THE STERN WITH CONVENIENT FLIP-UP SEATS THAT ARE ROOMY AND COMFORTABLE.

FLOOR STORAGE

KEEP EVERYTHING DRY AND SAFELY OUT OF THE WAY WITH AMPLE IN-FLOOR STORAGE.

SKI TOW

WHETHER IT'S SKIING OR TUBING, ADD SOME FUN WITH THE OPTIONAL SKI TOW. IT'S A SNAP TO REMOVE AND EASILY STOWS OUT OF THE WAY.





Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge	Rib Gauge
--------	------	-------	----------------	---------------	----------------	-------------------	-----------------	---------------------	--------------	----------------------	--------------	------------	-----------

SPECIFICATIONS**PRO MAG**

192 PRO MAG	18' 10"	96"	38"	27"	96"	XLS	1575	8	1750	175	40	.125	.086	.125
182 PRO MAG	18' 2"	96"	38"	27"	96"	XLS	1425	7	1625	150	31	.125	.086	.125
172 PRO MAG	17' 2"	91"	36"	26"	88"	LS	1300	5	1400	135	24	.100	.086	.100
162 PRO MAG	16' 5"	86"	34"	23"	74"	LS	960	5	1300	90	20	.080	.076	.080
161 PRO MAG	16' 5"	86"	34"	23"	74"	LS	920	5	1300	90	20	.080	.076	.080

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.

PROMAG 192 182 172 162 161

SUPERIOR FISHING UNBEATABLE VALUE

LIFETIME WARRANTY ON ALL RIVETED SEAMS

WELL-EQUIPPED BOATS HYDRA-LIFT EXPERIENCE • QUALITY V-HULL

SMOKERCRAFT | 13



DRIVER'S CONSOLE

BIG 5" GAUGES ARE EASY TO READ AND COMPLEMENT THE MODERN LOOK OF THE PRO MAG'S CONSOLE.

AVAILABLE ONLY ON 182, 172



SNAP-IN CARPET

CHANGE THE LOOK AND FEEL OF YOUR BOAT IN MINUTES WITH SNAP-IN MARINE CARPET THAT FITS EASILY OVER THE DURABLE VINYL FLOORING.

STANDARD ON 192, AVAILABLE ON OTHERS



ROD STORAGE

NOW THERE'S ROOM FOR ALL YOUR FAVORITE RODS WITH A LARGE CENTER STORAGE BOX ON THE 182 AND 172 MODELS THAT HOLDS AS MANY AS EIGHT.



LIVEWELL

LOCATED IN THE STERN FOR EASY ACCESS, THE 192 PRO MAG'S LIVEWELL SYSTEM KEEPS YOUR CATCH FRESH EVEN ON THE LONGEST DAYS.

AVAILABLE ONLY ON 192



192 PRO MAG



182 PRO MAG



172 PRO MAG



162 PRO MAG



161 PRO MAG



Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge	Rib Gauge
--------	------	-------	----------------	---------------	----------------	-------------------	-----------------	---------------------	--------------	----------------------	--------------	------------	-----------

SPECIFICATIONS**PRO ANGLER**

172 PRO ANGLER	16' 8"	92"	34"	24"	91"	LS	1225	5	1400	135	24	.100	.076	.100
171 PRO ANGLER	16' 8"	92"	34"	24"	91"	LS	1180	5	1400	135	24	.100	.070	.100
162 PRO ANGLER	16' 0"	81"	33"	25"	74"	LS	920	5	1200	60	16	.100	.064	.070
161 PRO ANGLER	16' 0"	81"	33"	25"	74"	LS	845	5	1200	60	16	.100	.064	.070

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.

PRO ANGLER LIFETIME WARRANTY ON ALL RIVETED SEAMS LARGE BOW LIVEWELL ★★

LIFETIME WARRANTY ON ALL RIVETED SEAMS

172 ★ 171 ★ 162 ★ 161 OUTSTANDING PREMIUM FEATURES ★ DELUXE CONSOLE QUALITY STERN CASTING SERIOUS FUN PLATFORM TREMENDOUS VALUE

15

SMOKERCRAFT



DRIVER'S CONSOLE

AN ATTRACTIVE, AUTOMOTIVE-STYLE CONSOLE PUTS
EVERYTHING YOU NEED WITHIN EASY REACH SO YOU
CAN CONCENTRATE ON DRIVING

ROD STORAGE

KEEP THE PERFECT ROD CLOSE AT HAND WITH ROOMY
ROD STORAGE BOXES BOTH PORT AND STARBOARD.

FISHING SEATS

OUR SPECIALLY DESIGNED FISHING SEATS FEATURE CONTOURED BOTTOMS FOR SUPERIOR COMFORT AND FULL PLASTIC CORES FOR LASTING DURABILITY.

BOW LIVEWELL

LOCATED IN THE BOW, OUR LIVEWELL HAS A BOTTOM DRAIN AND A HOSE THAT RUNS THROUGH THE TRANSOM FOR EASY CLEANING.



172 PRO ANGLER

171 PRO ANGLER



162 PRO ANGLER



卷之三





	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (lbs.)	Maximum Persons	Maximum Cap. (lbs.)	Maximum H.P.	Fuel Capacity (Gal.)
206 COBRA	20' 6"	96"	39"	29"	92"	XLS	1960	6	2050	225	50
180 COBRA	18' 0"	96"	39"	29"	92"	XLS	1763	6	1950	175	37

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.

SPECIFICATIONS

COBRA

COBRA 206 • 180

TROPHY-SIZED TACKLE BOX • REMOVABLE STERN JUMP SEATS • 22 STORAGE

TOURNAMENT READY FIBERGLASS DESIGN

17

SMOKERCRAFT



DRIVER'S CONSOLE

IN A CLASS BY ITSELF, THE COBRA'S CONSOLE HAS A SILVER METALLIC DASH, LIGHTED TOGGLE SWITCHES AND A COOL, CUSTOM SILVER WHEEL WITH HYDRAULIC TILT STEERING.



ROD STORAGE

LIGHTS, PLENTY OF ROOM, EIGHT ROD TUBES AND EXTRA SPACE UNDER THE BOW CASTING DECK BRING ROD STORAGE TO A WHOLE NEW LEVEL.



STERN LIVEWELL

WITH THIS WHOPPING 60-INCH, 39-GALLON LIVEWELL YOU'RE PREPARED TO BRING IN THE CATCH OF YOUR LIFE.



TACKLEBOX

NO MORE DIGGING AROUND FOR TACKLE. KEEP EVERYTHING NEAT AND ORGANIZED WITH A BUILT-IN THREE-TIER TACKLE BOX LOCATED IN THE BOW.



206 COBRA



180 COBRA



COBRA 206



A man is standing on the bow of a SmokerCraft 160 Resorter boat, fishing with a rod. The boat is on a calm lake with a forested shoreline in the background under a warm sunset sky. The boat features a dark hull with "RESORTER" and "SMOKERCRAFT" branding, and a white top deck. A Mercury 40 HP outboard motor is at the stern.

SPECIFICATIONS	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge	Rib Gauge	
RESORTER	16' 0"	81"	33"	25"	74"	LS	725	5	1250	60	N/A	.080	.064	.080	
	161 RESORTER	16' 0"	81"	33"	25"	74"	LS	700	5	1250	60	N/A	.080	.064	.080
	160 RESORTER	16' 0"	81"	33"	25"	74"	LS								

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.

RESORTER

DELUXE CONSOLE 161 • 160

IMPRESSIVE FLOOR SPACE VALUE-PACKED
★ ★ ★ ★ ★
LARGE BOW STORAGE
AERATED LIVEWELL
LIFETIME WARRANTY
ON ALL RIVETED SEAMS
UNBEATABLE
QUALITY

19

SMOKERCRAFT



DRIVER'S CONSOLE

DESIGNED FOR EASY MANEUVERABILITY, RESORTER'S DELUXE CONSOLE FEATURES LARGE GAUGES AND A PADDED WHEEL. ADD THE OPTIONAL WINDSCREEN.



BOW STORAGE

KEEP ALL YOUR GEAR PACKED NEATLY OUT OF THE WAY IN THE LARGE IN-FLOOR BOW STORAGE SPACE.



LIVEWELL

THE AERATED LIVEWELL IS LARGE ENOUGH FOR A FULL DAY'S CATCH.



161 RESORTER



160 RESORTER



RESORTER 161



Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge	Rib Gauge
--------	------	-------	----------------	---------------	----------------	-------------------	-----------------	---------------------	--------------	----------------------	--------------	------------	-----------

SPECIFICATIONS**PRO MAG
BIG FISHERMAN**

PRO MAG 168	16' 10"	69"	33"	22"	59"	LS	555	5	1100	40	N/A	.064	.060	.064
PRO MAG 140	14' 5"	67"	30"	19"	59"	LS/SS	475	4	975	25	N/A	.064	.060	.064
16 BIG FISHERMAN	16' 5"	70"	31"	22"	63"	LS	460	5	1100	40	N/A	.064	.060	.064
14 BIG FISHERMAN	14' 2"	69"	30"	22"	60"	LS/SS	395	4	1100	35	N/A	.064	.060	.064

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.

PRO MAG 168 • 140 WELL OVERSIZED RUGGED UTILITY VERSATILE LIFETIME WARRANTY ON ALL RIVETED SEAMS BIG 16 • 14 FISHERMAN BUILT • ROD STORAGE VINYL FLOORING PORT LIVEWELLS

21

SMOKERCRAFT



LIVEWELL

THE CONVENIENT PORT-SIDE LIVEWELL KEEPS YOUR CATCH FRESH AND KEEPS FLOOR SPACE OPEN FOR GREATER MANEUVERABILITY.



ROD STORAGE

KEEP ALL YOUR EQUIPMENT SAFELY STOWED AND WELL ORGANIZED IN THIS ROOMY ROD STORAGE AREA.



16 BIG FISHERMAN

168 PRO MAG



140 PRO MAG



16 BIG FISHERMAN



14 BIG FISHERMAN





12 ALASKAN DELUXE



12 ALASKAN




14 CANADIAN



12 CANADIAN



157 SUPER FISHERMAN



15 ALASKAN DELUXE



15 ALASKAN



13 ALASKAN DELUXE

	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (lbs.)	Maximum Persons	Maximum Cap. (lbs.)	Maximum H.P.	Bottom Gauge	Side Gauge	Rib Gauge
--	--------	------	-------	----------------	---------------	----------------	-------------------	-----------------	---------------------	--------------	--------------	------------	-----------

SPECIFICATIONS**JONS • UTILITIES**

157 SUPER FISHERMAN	15' 5"	72"	32"	32"	61"	LS	290	4	1100	25	.070	.060	.064
15/15 DLX ALASKAN	14' 11"	68"	27"	21"	59"	LS/SS	270	4	850	35	.064	.060	.064
13 DLX ALASKAN	12' 11"	66"	26"	20"	56"	LS/SS	225	4	700	25	.064	.060	.064
12/12 DLX ALASKAN	11' 11"	63"	24"	19"	56"	LS/SS	185	3	700	15	.064	.050	.064
14 CANADIAN	13' 10"	59"	20"	20"	50"	SS	130	4	700	15	.050	.050	.050
12 CANADIAN	11' 9"	56"	20"	20"	50"	SS	112	3	600	10	.050	.050	.050

SUPER FISHERMAN BACK TO ALASKAN **WIDE SELECTION ALASKAN DELUXE CANADIAN** **DEPENDABLE VERSATILE** **JON BOATS** **RUGGED**
ALASKAN SPORTS CANADIAN MAN **LIFETIME WARRANTY**
 ON ALL RIVETED SEAMS

1660 SPORTSMAN

1648



SPECIFICATIONS	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (lbs.)	Maximum H.P.	Bottom Gauge	Side Gauge
JONS • UTILITIES												
1860 SPORTSMAN	18' 0"	86"	23"	21"	88"	LS	700	6	1400	80	.100	.100
1660 SPORTSMAN	16' 0"	86"	23"	21"	88"	LS	640	6	1350	65	.100	.100
1648 JON BOAT	16' 0"	72"	22"	22"	71"	LS/SS	295	4	900	35	.072	.072
1644 JON BOAT	16' 0"	63"	22"	22"	68"	LS	300	4	900	35	.072	.072
1436 JON BOAT	14' 0"	57"	22"	22"	56"	SS	185	3	650	20	.064	.064
1432 JON BOAT	14' 0"	51"	18"	18"	50"	SS	140	2	390	7	.050	.050
1232 JON BOAT	12' 0"	51"	16"	16"	59"	SS	120	2	390	6	.050	.050
1032 JON BOAT	10' 0"	51"	16"	16"	50"	SS	100	2	290	3	.050	.050



STANDARDS & OPTIONS

	192 MILLENTIA	172 MILLENTIA	192 ULTIMA	172 ULTIMA	192 PRO MAG	182 PRO MAG	172 PRO MAG	162 PRO MAG	161 PRO MAG	172 PRO ANGLER	171 PRO ANGLER	162 PRO ANGLER	161 PRO ANGLER
--	---------------	---------------	------------	------------	-------------	-------------	-------------	-------------	-------------	----------------	----------------	----------------	----------------

SPECIFICATIONS

Length	18' 10"	17' 2"	18' 10"	17' 2"	18' 10"	18' 2"	17' 2"	16' 5"	16' 5"	16' 8"	16' 8"	16' 0"	16' 0"
Beam	96"	91"	96"	91"	96"	96"	91"	86"	86"	92"	92"	81"	81"
Depth	38"	36"	38"	36"	38"	38"	36"	34"	34"	34"	34"	33"	33"
Interior Depth	27"	26"	27"	26"	27"	27"	26"	23"	23"	24"	24"	25"	25"
Transom Width	96"	88"	96"	88"	96"	96"	88"	74"	74"	91"	91"	74"	74"
Transom Height	XLS	LS	XLS	LS	XLS	XLS	LS						
Dry Weight (Lbs.)	1575	1325	1575	1330	1575	1425	1300	960	920	1225	1180	920	845
Maximum Persons	8	5	8	5	8	7	5	5	5	5	5	5	5
Maximum Capacity (Lbs.)	1750	1400	1750	1400	1750	1625	1400	1300	1300	1400	1400	1200	1200
Maximum H.P.	175	135	175	135	175	150	135	90	90	135	135	60	60
Fuel Capacity (Gal.)	40	24	40	24	40	31	24	20	20	24	24	16	16
Bottom Gauge	.125	.100	.125	.100	.125	.125	.100	.080	.080	.100	.100	.100	.100
Side Gauge	.086	.086	.086	.086	.086	.086	.086	.076	.076	.076	.076	.064	.064
Rib Gauge	.125	.100	.125	.100	.125	.125	.100	.080	.080	.100	.100	.070	.070

COLORS

Black	S	S	•	•	S	S	S	S	S	•	•	•	•
Blue	•	S	S	S	•	•	•	•	•	S	S	S	S
Charcoal	•	•	•	•	•	•	•	•	•	•	•	•	•
Burgundy	•	•	S	S	•	•	•	•	•	•	•	•	•
Red	•	•	•	•	•	•	•	•	•	•	•	•	•
Champagne	•	•	•	•	•	•	•	•	•	•	•	•	•

HULL

Hydra-Lift Rolled V-Hull	S	S	S	S	S	S	S	S	S	S	S	•	•
Keels	5	5	5	5	5	5	5	5	5	5	5	5	3

FLOOR / CARPET

Treated Floor with Lifetime Warranty	S	S	S	S	S	S	S	S	S	S	S	S	S
5-Year Carpet Warranty	S	S	S	S	S	S	S	S	S	S	S	S	S
Vinyl Floor Covering	S	S	S	S	S	S	S	S	S	S	S	S	S
Snap-In Carpet	S	S	S	S	S	O	O	O	O	O	O	O	O

WINDSHIELD

Curved Walk-Thru Windshield	S	S	S	S	S	S	S	S	•	S	•	S	•
Windscreens	•	•	•	•	•	•	•	•	•	S	•	O	•

CONSOLE / DASH

Tachometer	S	S	S	S	S	S	S	S	S	S	S	S	S
Speedometer	S	S	S	S	S	S	S	S	S	S	S	S	S
Volt Meter	S	S	S	S	S	S	S	S	S	•	•	•	•
Fuel Gauge	S	S	S	S	S	S	S	S	S	S	S	S	S
Lighted Compass	S	S	S	S	S	•	•	•	•	•	•	•	•
Horn	S	S	S	S	S	S	S	S	S	S	S	S	S
Circuit Breakers	S	S	S	S	S	S	S	S	S	S	S	S	S
Starboard Console	•	•	•	•	•	•	•	•	•	•	•	•	•

STEREO

AM/FM Stereo with Auxiliary Port for MP3 Player	S	S	S	S	S	O	O	O	O	O	O	O	O
---	---	---	---	---	---	---	---	---	---	---	---	---	---

LIVEWELL

Stern Livewell (Gal.)	LART(23)	LART(21)	LA(23)	LA(23)	LART(36)	A(26)	A(20)	A(18)	A(18)	•	•	•	•
Bow Livewell (Gal.)	LA(12)	LA(12)	LA(12)	LA(12)	•	•	•	A(25)	A(25)	A(25)	A(25)	A(25)	A(25)
Port Livewell (Gal.)	•	•	•	•	•	•	•	•	•	•	•	•	•
Baitwell with Bucket	•	•	•	•	•	•	•	•	•	•	•	•	•

TROLLING MOTOR

Trolling Motor Panel	S	•	•	•	S	•	•	•	•	•	•	•	•
Trolling Motor Plug	S	S	S	S	S	S	S	S	S	S	S	S	S
Motor Tilt Switch	S	S	•	•	S	S	S	S	S	•	•	•	•
(4) 4-1/2" Cleats	•	•	•	•	•	•	•	•	•	•	•	S	S
(4) 6" Cleats	•	•	•	•	•	S	S	S	S	S	S	•	•
(4) 6" Pull-Up Cleats	S	S	S	S	S	•	•	•	•	•	•	•	•

Standard – S

Option – O

Not Available – •

Lighted Livewell – L

Aerated Livewell – A

Recirculating Livewell – R

Timed Livewell – T

206 COBRA	180 COBRA	161 RESORTER	160 RESORTER	168 PRO MAG	140 PRO MAG	16 BIG FISHERMAN	14 BIG FISHERMAN	157 SUPER FISHERMAN	15 ALASKAN DELUXE	15 ALASKAN	13 ALASKAN DELUXE	12 ALASKAN DELUXE	12 ALASKAN	14 CANADIAN	12 CANADIAN
-----------	-----------	--------------	--------------	-------------	-------------	------------------	------------------	---------------------	-------------------	------------	-------------------	-------------------	------------	-------------	-------------

SPECIFICATIONS

	20' 6"	18' 0"	16' 0"	16' 0"	16' 10"	14' 5"	16' 5"	14' 2"	15' 5"	14' 11"	12' 11"	11' 11"	13' 10"	11' 9"
Length	20' 6"	18' 0"	16' 0"	16' 0"	16' 10"	14' 5"	16' 5"	14' 2"	15' 5"	14' 11"	12' 11"	11' 11"	13' 10"	11' 9"
Beam	96"	96"	81"	81"	69"	67"	70"	68"	72"	68"	66"	63"	58"	56"
Depth	39"	39"	33"	33"	33"	30"	31"	30"	32"	27"	26"	24"	20"	20"
Interior Depth	29"	29"	25"	25"	22"	19"	22"	22"	32"	21"	20"	19"	20"	20"
Transom Width	92"	92"	74"	74"	59"	59"	63"	60"	61"	59"	56"	56"	50"	50"
Transom Height	XLS	XLS	LS	LS	LS/SS	LS	LS/SS	LS	LS/SS	LS/SS	LS/SS	LS/SS	SS	SS
Dry Weight (Lbs.)	1960	1763	725	700	555	475	460	395	290	270	225	185	130	112
Maximum Persons	6	6	5	5	5	4	5	4	4	4	4	3	4	3
Maximum Capacity (Lbs.)	2050	1950	1250	1250	1100	975	1100	1100	1100	850	700	700	700	600
Maximum H.P.	225	175	60	60	40	25	40	35	25	35	25	15	15	10
Fuel Capacity (Gal.)	50	37	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Bottom Gauge	•	•	.080	.080	.064	.064	.064	.064	.070	.064	.064	.064	.050	.050
Side Gauge	•	•	.064	.064	.060	.060	.060	.060	.060	.060	.060	.060	.050	.050
Rib Gauge	•	•	.080	.080	.064	.064	.064	.064	.064	.064	.064	.064	.050	.050

COLORS

Black	S	S	S	S	•	•	S	S	•	•	•	•	•	•	•
Blue	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•
Charcoal	•	•	•	•	S	S	•	•	S	S (GRAY)	S (GRAY)	S (GRAY)	•	•	•
Burgundy	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•
Red	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•
Champagne	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•

HULL

Hydra-Lift Rolled V-Hull	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Keels	•	•	3	3	3	3	3	3	3	3	3	3	3	•	•

FLOOR / CARPET

Treated Floor with Lifetime Warranty	•	•	S	S	S	S	S	S	•	S(DLX)	S	S(DLX)	•	•
5-Year Carpet Warranty	S	S	S	S	S	S	S	S	•	•	•	•	•	•
Vinyl Floor Covering	•	•	S	S	S	S	S	S	•	S(DLX)	S	S(DLX)	•	•
Snap-In Carpet	O	•	•	•	•	•	•	•	•	•	•	•	•	•

WINDSHIELD

Curved Walk-Thru Windshield	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•
Windscreen	•	•	O	•	•	•	•	•	•	•	•	•	•	•	•

CONSOLE / DASH

Tachometer	S	S	S	•	•	•	•	•	•	•	•	•	•	•	•
Speedometer	S	S	S	•	•	•	•	•	•	•	•	•	•	•	•
Volt Meter	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•
Fuel Gauge	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•
Lighted Compass	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Horn	S	S	S	•	•	•	•	•	•	•	•	•	•	•	•
Circuit Breakers	S	S	S	S	S	S	S	S	•	•	•	•	•	•	•
Starboard Console	•	•	•	•	•	•	O	O	O	O(DLX)	•	•	•	•	•

STEREO

AM/FM Stereo with Auxiliary Port for MP3 Player	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

LIVEWELL

Stern Livewell (Gal.)	LA(39)	LA(39)	•	•	•	•	•	•	•	•	•	•	•	•	•
Bow Livewell (Gal.)	LAR(12)	LAR(12)	•	•	•	•	•	•	•	•	•	•	•	•	•
Port Livewell (Gal.)	•	•	A(21)	A(21)	A(21)	A(15)	(25)	(21)	•	•	•	•	•	•	•
Baitwell with Bucket	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•

TROLLING MOTOR

Trolling Motor Panel	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•
Trolling Motor Plug	•	•	S	S	S	S	S	S	•	•	•	•	•	•	•
Motor Tilt Switch	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•
(4) 4-1/2" Cleats	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
(4) 6" Cleats	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
(4) 6" Pull-Up Cleats	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•

Standards & Options continued on next page.



	192 MILLENTIA	172 MILLENTIA	192 ULTIMA	172 ULTIMA	192 PRO MAG	182 PRO MAG	172 PRO MAG	162 PRO MAG	161 PRO MAG	172 PRO ANGLER	171 PRO ANGLER	162 PRO ANGLER	161 PRO ANGLER
--	---------------	---------------	------------	------------	-------------	-------------	-------------	-------------	-------------	----------------	----------------	----------------	----------------

LIGHTS

Navigation Lights	S	S	S	S	S	S	S	S	S	S	S	S	S
Bow Courtesy Light	S	•	•	•	S	•	•	•	•	•	•	•	•
Stern Courtesy Light	•	S	S	S	S	•	•	•	•	•	•	•	•

SEATING

Movable Pedestals	•	2	2	2	•	2	2	2	2	2	2	2	2
Stationary Pedestal	•	•	•	•	•	•	•	•	•	•	•	•	•
Movable Helm Pedestal with Slider	S	S	S	S	S	S	S	S	S	S	S	S	S
Movable Helm Pedestal	•	•	•	•	•	•	•	•	•	•	•	•	•
Movable Hydraulic Pedestals	(2)	•	•	•	•	(2)	•	•	•	•	•	•	•
Removable Backrest with Cushions	•	•	•	•	•	•	•	•	•	•	•	•	•
Rear Fold Down Seats	S	S	S	S	•	•	•	•	•	•	•	•	•
Bow Backrest with Cushions	•	•	S	S	•	•	•	•	•	•	•	•	•
Seat Bases	6	6	6	6	5	6	6	6	6	6	6	5	5
Bass Seats	3	3	3	3	3	3	3	3	3	3	3	3	3
Additional Bass Seat with Stem	O	O	O	O	O	O	O	O	O	O	O	O	O
Hydraulic Stem	O	•	•	•	•	O	•	•	•	•	•	•	•
Aluminum Bench Seats	•	•	•	•	•	•	•	•	•	•	•	•	•
Aluminum Split Seat	•	•	•	•	•	•	•	•	•	•	•	•	•

STORAGE

Center Rod Storage	S	S	•	•	S	S	S	•	•	•	•	•	•
Lighted Port Rod Storage	•	•	S	S	•	•	•	•	•	•	•	•	•
Lighted Starboard Rod Storage	•	•	S	S	•	•	•	•	•	•	•	•	•
Port Rod Storage	•	•	•	•	S	S	S	S	S	S	S	S	S
Starboard Rod Storage	•	•	•	•	•	•	•	•	•	•	•	•	•
Starboard Side Storage	S	S	•	•	S	S	S	•	•	S	S	S	S
Console Storage	S	S	S	S	S	S	S	•	•	•	•	•	•
Rod Holders	•	•	•	•	•	•	•	•	•	•	•	S	S
Bow Storage	S	S	S	S	S	S	S	S	S	S	S	S	S
Stern Storage	S	S	S	S	S	S	S	S	S	•	•	•	•
In-Floor Storage	•	•	S	S	•	•	•	•	•	•	•	•	•

MISCELLANEOUS

Bow & Stern Castings with Handles	•	•	•	•	•	•	•	•	•	•	•	•	•
Oar Locks	•	•	•	•	•	•	•	•	•	•	•	•	•
Nonskid Interior	•	•	•	•	•	•	•	•	•	•	•	•	•
Lockable Glove Box	S	S	S	S	S	S	S	S	S	S	S	S	S
Toe Kicks	S	S	S	S	S	S	S	S	S	S	S	S	S
Bilge Pump	S	S	S	S	S	S	S	S	S	S	S	S	S
Ski Tow	•	•	O	O	•	•	•	•	•	•	•	•	•
Dual Steering	•	O	•	O	•	•	O	•	•	O	O	•	•
Hydraulic Steering	S	•	S	•	S	S	•	•	•	•	•	•	•
Tilt Steering	S	S	S	S	S	S	S	•	•	S	S	•	•
Anti-Feedback Steering	•	O	•	O	•	•	O	•	•	•	•	•	•
Stainless Steel Bow Rail	•	•	S	S	•	•	•	•	•	•	•	•	•
Swim Platform	•	•	O	O	•	•	•	•	•	•	•	•	•
Reinforced for Downriggers	S	S	S	S	S	S	S	•	•	•	•	•	•

CUP HOLDERS

Cup Holders	S	S	S	S	S	S	S	S	S	S	S	S	S
-------------	---	---	---	---	---	---	---	---	---	---	---	---	---

BATTERY/ACCESS

Access Plate	8"	8"	8"	8"	8"	8"	8"	8"	8"	8"	8"	6"	6"
Battery-Ready Charger	O	O	O	O	O	O	O	O	O	O	O	O	O
Battery Compartments	3	3	3	3	3	3	3	2	2	2	2	1	1

CANVAS

Fisherman's Top	S	O	S	O	S	O	O	O	•	O	•	0	•
Side Curtains	O	O	O	O	O	O	O	O	•	O	•	O	•
Aft Curtains	O	O	O	O	O	O	O	O	•	O	•	O	•
Walk-Thru Curtains	O	O	O	O	O	O	O	O	•	O	•	O	•
Bow Cover	O	O	O	O	O	O	O	O	•	O	•	O	•
Mooring Cover	O	O	O	O	O	O	O	O	•	O	•	O	•
Bimini Top	•	•	•	•	•	•	•	•	•	•	•	•	•

Standard – S Option – O Not Available – • Lighted Livewell – L Aerated Livewell – A Recirculating Livewell – R Timed Livewell – T



2007

SMOKERCRAFT

MILLENTIA PRO ANGLER
HYDRA-LIFT HULL ★ ★ ★
RESORTER JON BOATS
COBRA FISHING
ULTIMA BOATS
PRO MAG

SINCE 1964



Smoker Craft, Inc.
P.O. Box 65 • New Paris, IN 46553

Smoker Craft, Inc. West
P.O. Box 219 • Stayton, OR 97383

Smoker Craft, Inc. South
P.O. Box 1267 • LaGrange, GA 30241

Smoker Craft, Inc. North
P.O. Box 129 • Minong, WI 54859

www.smokercraft.com

To talk to the dealer nearest you,
dial 866 719-7873.
Connects directly to dealer.
Please call during business hours.

The specifications of any Smoker Craft boat are subject to change without notice.