




SMOKERCRAFT

2010 FISHING BOATS



CONSTRUCTION

Fishing is our passion.




- N** XL PLYWOOD FLOORS with a lifetime warranty, you can count on the specially treated floor to hold its strength and never warp or rot
- O** INJECTED URETHANE FOAM eliminates water pockets and gives the boat more buoyancy and a quieter ride
- P** AIRS ADVANCED INTEGRATED RIB SYSTEM has hand formed hat-shaped ribs on 10" centers provide superior longitudinal strength and rigidity.



5-KEEL CONSTRUCTION

For the best stability and handling you'll find anywhere. The keels also offer greater protection from underwater objects, as well as from the wear and tear of launching and trailering your boat.



LIFETIME WARRANTY ON ALL RIVETED SEAMS


Smoker Craft warrants each new aluminum hull for a period of ten (10) years, lifetime warranty on all riveted seams. A copy of the Smoker Craft Limited Warranty is attached to each new Smoker Craft boat, or may be obtained from any dealer or the Smoker Craft factory.

INDUSTRY LEADING WARRANTIES

Hull	10 years	Carpets	5 years	Vinyl	5 years
------	----------	---------	---------	-------	---------



- A** HYDRA-LIFT HULL WITH INTEGRATED SPRAY RAIL keeps the bow down for quicker hole shots, greater control and a drier ride
- B** .125 GAUGE ONE-PIECE BOTTOM AND DOUBLE RIVETED SEAMS for rugged reliability
- C** EXTRA-WIDE FULL-LENGTH GUNWALE reinforced for downriggers and accessories
- D** PULL-UP CLEATS do not interfere while fishing and provide a safe, unobstructed surface
- E** LARGE PLATFORMS offer a better fishing experience
- F** IN-FLOOR STORAGE stows gear safely out of the way
- G** FLIP-UP SEATING converts easily from fishing to family fun
- H** CARPET, our premium grade, 100% UV stabilized marine carpet will last for years to come and is backed by a 5-year warranty
- I** INTERIOR DEPTH provides added stability
- J** CLEAN CURVE® WINDSHIELD by Taylor Made Systems®
- K** PREMIUM COMPONENTS include lighted rockers with breaker, power point and port for iPod and MP3 player
- L** FULL FACTORY INSTALLED ELECTRONICS, including depth finders and trolling motors
- M** BREAKERS, instead of fuses, for easier servicing



FLOW RITE LIVEWELL SYSTEM

Our state-of-the-art design draws water in and circulates it in the bottom of the tank while a hole in the top allows air to mix with the water. A separate recirculating pump works in a continuous loop to keep aerated water moving at all times, and a transom drain system provides for easy tank cleaning.



192 MILLENTIA

BOAT FEATURES



DRIVER'S CONSOLE One word describes Millentia's console — easy. Gauges are easy to read. Switches and circuit breakers are easy to reach.



FLIP-UP SEAT The spacious stern casting deck quickly converts to comfortable passenger seating with convenient flip-up seats.



SNAP-IN CARPET In the morning you've got a fishing boat with an easy-to-clean vinyl floor. Later, just snap in the premium grade carpet and you've got a family cruiser.

192 MILLENTIA



172 MILLENTIA



Some models shown with optional equipment, including trolling motor and graph.

2010 MILLENTIA
SPECS

	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge	Rib Gauge
192 MILLENTIA	18' 10"	96"	38"	27"	96"	XLS	1575	8	1750	175	40	.125	.080	.125
172 MILLENTIA	17' 2"	91"	36"	26"	88"	LS	1325	5	1400	140	24	.100	.080	.100

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.

BOAT FEATURES



CONVERT-A-BOW The versatile Ultima has a unique bow that houses a fishing seat or easily converts to a walk-in design with family-style seating.



REAR LIVEWELL With large stern and bow livewells, the Ultima is ideal for all-day excursions.



STERN SEATS More seating is available in the stern with convenient flip-up seats that are roomy and comfortable.



172 ULTIMA

2010 ULTIMA SPECS

	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge	Rib Gauge
192 ULTIMA	18' 10"	96"	38"	27"	96"	XLS	1575	8	1750	175	40	.125	.080	.125
172 ULTIMA	17' 2"	91"	36"	26"	88"	LS	1330	6	1425	140	24	.100	.080	.100
162 ULTIMA	16' 0"	87"	34"	23"	83"	LS	1020	5	1300	90	24	.100	.076	.125

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.



192 ULTIMA



172 ULTIMA



162 ULTIMA

Some models shown with optional equipment, including trolling motor and graph.



BOAT FEATURES



DRIVER'S CONSOLE Gauges are easy to read and complement the modern look of the Pro Mag's console (182 only).



SNAP-IN CARPET Change the look and feel of your boat in minutes with optional snap-in marine carpet that fits easily over the durable vinyl flooring.



ROD STORAGE Now there's room for all your favorite rods with a large center storage box on the 182 model that holds as many as eight.



LIVEWELL Pro Mag's livewell system keeps your catch fresh even on the longest days.

182 PRO MAG

182 PRO MAG



162 PRO MAG



161 PRO MAG



Some models shown with optional equipment, including trolling motor and graph.

2010 PRO MAG SPECS

	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge	Rib Gauge
182 PRO MAG	18' 2"	96"	38"	27"	96"	XLS	1425	7	1425	150	31	.125	.080	.125
162 PRO MAG	16' 0"	87"	34"	23"	83"	LS	1020	5	1300	90	24	.100	.076	.125
161 PRO MAG	16' 0"	87"	34"	23"	83"	LS	960	5	1300	90	24	.100	.076	.125

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.

BOAT FEATURES



DRIVER'S CONSOLE An attractive, automotive-style console puts everything you need within easy reach so you can concentrate on driving.



FISHING SEATS Our specially designed fishing seats feature contoured bottoms for superior comfort and full plastic cores for lasting durability.



ROD STORAGE Keep your favorite rods stowed safely.



LIVEWELL Located in the bow, our livewell has a bottom drain and a hose that runs through the transom for easy cleaning.




161 PRO ANGLER

Some models shown with optional equipment, including trolling motor and graph.

2010 PRO ANGLER SPECS	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge	Rib Gauge
172 PRO ANGLER	16' 8"	92"	34"	24"	91"	LS	1225	5	1400	140	24	.100	.076	.100
171 PRO ANGLER	16' 8"	92"	34"	24"	91"	LS	1180	5	1400	140	24	.100	.070	.100
162 PRO ANGLER XL	16' 0"	91"	35"	27"	84"	LS	1010	5	1250	75	20	.100	.070	.125
161 PRO ANGLER XL	16' 0"	91"	35"	27"	84"	LS	935	5	1250	75	20	.100	.070	.125
162 PRO ANGLER	16' 0"	81"	33"	25"	74"	LS	920	5	1200	60	16	.100	.064	.070
161 PRO ANGLER	16' 0"	81"	33"	25"	74"	LS	845	5	1200	60	16	.100	.064	.070

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering. 161 Pro Angler and 162 Pro Angler XL not shown.



BASS BOATS



BOAT FEATURES



BOW STORAGE The large in-floor bow storage keeps your gear tucked safely out of the way.



LIVEWELL Conveniently located behind the driver's bench, the aerated livewell is large enough for "the big one."



ROD STORAGE Port-side rod storage keeps your favorite rods stowed safely. (171 Bass only).

171 PRO BASS

171 PRO BASS



171 BASS



171 CRAPPIE SC



Some models shown with optional equipment, including trolling motor and graph.

2010 BASS BOAT SPECS

	Length	Beam	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge
171 PRO BASS	17' 10"	81"	18"	85"	LS	1075	4	1225	90	21	.100	.100
171 BASS	17' 10"	81"	17"	81"	LS	925	4	1225	75	21	.080	.080
171 CRAPPIE SC	17' 10"	81"	17"	81"	LS	825	4	1225	60	•	.080	.080
171 CRAPPIE TL	17' 10"	81"	17"	81"	LS	765	4	1225	50	•	.080	.080

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering. 171 Crappie TL not shown.

BOAT FEATURES



DRIVER'S CONSOLE Resorter's deluxe console features large gauges and a padded wheel. Add the optional windscreen to complete the sleek look.



LIVEWELL The aerated livewell is large enough for a full day's catch.



161 RESORTER

2010 RESORTER
SPECS

	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge	Rib Gauge
161 RESORTER	16' 0"	81"	33"	25"	74"	LS	725	5	1250	60	•	.080	.064	.080
160 RESORTER	16' 0"	81"	33"	25"	74"	LS	700	5	1250	60	•	.080	.064	.080
151 RESORTER	15' 1"	75"	31"	23"	73"	LS	575	4	1000	50	•	.100	.064	.064

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.

161 RESORTER



160 RESORTER



151 RESORTER



Some models shown with optional equipment, including trolling motor and graph.

BOAT FEATURES




CENTER CONSOLE Our unique center console gives you a great view while driving, and plenty of room to maneuver onboard.



LIVEWELL Easily accessible and centrally located, the aerated livewell has plenty of room for a full day's catch.

BASS & BAY

2072 CC BASS & BAY



2072 CC
BASS & BAY



1866 CC
BASS & BAY



1866 SC
BASS & BAY



1660 SC
BASS & BAY

Some models shown with optional equipment, including trolling motor and graph.

2010 BASS & BAY SPECS

	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge
2072 CC	20' 2"	97"	28"	26"	96"	LS	1225	8	1800	125	34	.125	.125
1866 CC	18' 0"	94"	26"	24"	92"	LS	980	6	1400	80	18	.100	.100
1866 SC	18' 0"	94"	26"	24"	92"	LS	980	6	1400	80	18	.100	.100
1866 TL	18' 0"	94"	26"	24"	92"	LS	980	6	1400	80	18	.100	.100
1660 SC	16' 0"	86"	23"	21"	88"	LS	740	6	1350	65	18	.100	.100
1660 TL	16' 0"	86"	23"	21"	88"	LS	740	6	1350	65	18	.100	.100

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering. 1866 TL and 1660 TL not shown.

BOAT FEATURES




LIVEWELL The convenient port-side livewell keeps your catch fresh and keeps floor space open for greater maneuverability.



ROD STORAGE Keep all your equipment safely stowed and well organized in this roomy rod storage area. (Pro Mag only).

PRO MAG / BIG FISH

168 PRO MAG



1686 SC
BASS & BAY
(Also available in Tiller)



Some models shown with optional equipment, including trolling motor and graph.

2010 PRO MAG/ BIG FISH SPECS

	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge	Rib Gauge
168 PRO MAG	16' 0"	81"	33"	25"	74"	LS	700	5	1250	60	•	.080	.064	.080
16 BIG FISH	16' 5"	70"	31"	22"	63"	LS	460	5	1100	40	•	.064	.060	.064
14 BIG FISH	14' 2"	68"	30"	22"	60"	LS/SS	395	4	1100	35	•	.064	.060	.064

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.

JONS/UTILITIES



1648



1436



1432



1232



157 SUPER FISHERMAN



15 ALASKAN DELUXE



15 ALASKAN



13 ALASKAN DELUXE



12 ALASKAN DELUXE



12 ALASKAN



14 CANADIAN



12 CANADIAN



14 VOYAGER

2010 JON SPECS

	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Bottom Gauge	Side Gauge	Rib Gauge
1648 JON BOAT	16' 0"	72"	22"	22"	71"	LS/SS	295	4	900	35	.072	.072	.072
1448 JON BOAT	14' 0"	72"	22"	22"	71"	LS/SS	260	3	900	25	.072	.072	.072
1436 JON BOAT	14' 0"	57"	18"	18"	56"	SS	185	3	650	20	.064	.064	.064
1432 JON BOAT	14' 0"	51"	16"	16"	50"	SS	140	2	390	7	.050	.050	.050
1232 JON BOAT	12' 0"	51"	16"	16"	50"	SS	120	2	390	6	.050	.050	.050
1032 JON BOAT	10' 0"	51"	16"	16"	50"	SS	100	2	290	3	.050	.050	.050

1448 and 1032 Jon not shown.

2010 UTILITIES SPECS

	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Bottom Gauge	Side Gauge	Rib Gauge
157 SUPER FISHERMAN	15' 5"	72"	32"	32"	61"	LS	290	4	1100	25	.070	.060	.064
15/15 ALASKAN DLX	14' 11"	68"	27"	21"	59"	LS/SS	270	4	850	35	.064	.060	.064
13 ALASKAN DLX	12' 11"	66"	26"	20"	56"	LS/SS	225	4	700	25	.064	.060	.064
12/12 ALASKAN DLX	11' 10"	63"	24"	19"	56"	LS/SS	185	3	700	15	.064	.060	.064
14 CANADIAN	13' 10"	59"	20"	20"	50"	SS	130	4	700	15	.050	.050	.050
12 CANADIAN	11' 9"	56"	20"	20"	50"	SS	112	3	600	10	.050	.050	.050
14 VOYAGER	14' 2"	68"	30"	30"	60"	LS/SS	230	5	1000	35	.064	.060	.064

2010 STANDARDS
& OPTIONS

SPECIFICATIONS

	192 MILLENTIA	172 MILLENTIA	192 ULTIMA	172 ULTIMA	162 ULTIMA	182 PRO MAG	162 PRO MAG	161 PRO MAG	172 PRO ANGLER	171 PRO ANGLER	162 XL PRO ANGLER	161 XL PRO ANGLER	162 PRO ANGLER	161 PRO ANGLER	171 PRO BASS	171 BASS	171 CRAPPIE SC/TL	2072 CC BASS & BAY	1866 CC BASS & BAY
Length	18' 10"	17' 2"	18' 10"	17' 2"	16' 0"	18' 2"	16' 0"	16' 0"	16' 8"	16' 8"	16' 0"	16' 0"	16' 0"	16' 0"	17' 10"	17' 10"	17' 10"	20' 2"	18' 0"
Beam	96"	91"	96"	91"	87"	96"	87"	87"	92"	92"	91"	91"	81"	81"	81"	81"	81"	97"	94"
Depth	38"	36"	38"	36"	34"	38"	34"	34"	34"	34"	35"	35"	33"	33"	•	•	•	28"	26"
Interior Depth	27"	26"	27"	26"	23"	27"	23"	23"	24"	24"	27"	27"	25"	25"	18"	17"	17"	26"	24"
Transom Width	96"	88"	96"	88"	83"	96"	83"	83"	91"	91"	84"	84"	74"	74"	85"	81"	81"	96"	92"
Transom Height	XL5	L5	XL5	L5	L5	XL5	L5	L5	L5	L5	L5	L5	L5	L5	L5	L5	L5	L5	L5
Dry Weight (Lbs.)	1575	1325	1575	1330	1020	1425	1020	960	1225	1180	1010	935	920	845	1075	925	825/765	1225	980
Maximum Persons	8	5	8	6	5	7	5	5	5	5	5	5	5	5	4	4	4	8	6
Maximum Capacity (Lbs.)	1750	1400	1750	1425	1300	1425	1300	1300	1400	1400	1250	1200	1200	1225	1225	1225	1800	1400	
Maximum H.P.	175	140	175	140	90	150	90	90	140	140	75	75	60	60	90	75	60/50	125	80
Fuel Capacity (Gal.)	40	24	40	24	24	31	24	24	24	24	20	20	16	16	21	21	•	34	18
Bottom Gauge	0.125	0.100	0.125	0.100	0.100	0.125	0.100	0.100	0.100	0.100	0.100	0.100	0.100	0.100	0.100	0.080	0.080	0.125	0.100
Side Gauge	0.080	0.080	0.080	0.080	0.076	0.080	0.076	0.076	0.076	0.076	0.070	0.070	0.064	0.064	0.100	0.080	0.080	0.125	0.100
Rib Gauge	0.125	0.100	0.125	0.100	0.125	0.125	0.125	0.125	0.100	0.100	0.125	0.125	0.070	0.070	•	•	•	•	•

COLORS

Black	S	S	•	•	•	S	S	S	S	S	S	S	S	S	S	S	S	•	•
Blue	•	S	•	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Charcoal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Gray	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	S	•
Burgundy	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Red	•	•	S	S	S	•	•	•	S	S	S	S	S	S	S	S	S	•	S

HULL

Semi-V Hull	•	•	•	•	•	•	•	•	•	•	S	S	S	S	•	•	•	S	S
Hydra-Lift Rolled V-Hull	S	S	S	S	S	S	S	S	S	S	•	•	•	•	•	•	•	•	•
Keels	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(3)	(3)	•	•	•	(3)	(3)

FLOOR / CARPET

Treated Floor with Lifetime Warranty	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
5-Year Carpet Warranty	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	•	•	•
Vinyl Floor Covering	S	S	S	S	S	S	S	S	S	S	S	S	S	S	•	•	S	S	S
Snap-In Carpet	S	S	S	S	S	O	O	O	O	O	O	O	O	O	•	•	•	•	•

WINDSHIELD

Curved Walk-Thru Windshield	S	S	S	S	S	S	S	•	S	•	S	•	S	•	•	•	•	•	•
Windscreen	•	•	•	•	•	•	•	S	•	S	•	S	S	S	S	S	•	S	S

CONSOLE / DASH

Tachometer	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	•	S	S
Speedometer	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	•	•	•
Volt Meter	S	S	S	S	S	S	S	S	S	•	S	S	•	S	S	S	•	•	•
Fuel Gauge	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	•	S	S
Lighted Compass	S	S	S	S	•	S	•	•	•	•	•	•	•	•	•	•	•	•	•
Horn	S	S	S	S	S	S	S	S	S	S	S	S	S	S	•	•	•	•	•
Circuit Breakers	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	•	S	S
Starboard Console	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

STEREO

AM/FM Stereo																			
w/Auxiliary Port for MP3 Player	S	S	S	S	S	O	O	O	O	O	O	O	O	O	•	•	•	•	•

LIVEWELL

Stern Livewell (Gal.)	(23) LART	(21) LART	(23) LA	(23) LA	(18) A	(26) A	(18) A	(18) A	•	•	•	•	•	•	(25) A	(25) A	•	•	•
Bow Livewell (Gal.)	(12) LA	(12) LA	(12) LA	(12) LA	(12) A	(18) A	(25) A	(25) A	(25) A	(25) A	(25) A	(25) A	(25) A	(25) A	•	•	•	•	•
Port Livewell (Gal.)	C	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Center Livewell (Gal.)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Baitwell w/Bucket	•	•	•	•	•	•	•	•	•	•	•	•	•	•	S	•	•	•	•

S | Standard O | Option • | Not Available

L | Lighted A | Aerated R | Recirculating T | Timed

TROLLING MOTOR

Trolling Motor Plug	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Motor Tilt Switch	S	S	•	•	•	S	•	•	•	•	•	•	•	•	•	•	•	•	•
(4) 4-1/2" Cleats	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
(4) 6" Cleats	•	•	•	•	•	S	S	S	S	S	S	S	•	•	•	•	•	•	S
(4) 6" Pull-Up Cleats	S	S	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

LIGHTS

Navigation Lights	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
-------------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

SEATING

Movable Pedestal	•	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	•	•	•
Stationary Pedestal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Movable Helm Pedestal with Slider	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	•	•	•
Movable Helm Pedestal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
(2) Movable Hydraulic Pedestals	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Rear Fold Down Seats	S	S	S	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Bow Backrest with Cushions	•	•	S	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Seat Bases	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(5)	(1)	(1)
Bass Seats	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(2)	(2)	•
Additional Bass Seat	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	•	•	O
Stem (Hydraulic)	O	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Aluminum Bench Seats	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

STORAGE

Bow Center Rod Storage	S	S	•	•	•	S	•	•	•	•	•	•	•	•	•	•	•	S	•	•	•	•
Port Rod Storage	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	•	S	•	S
Starboard Rod Storage	•	S	S	•	•	•	S	S	•	•	•	•	•	•	•	•	•	•	•	•	S	S
Starboard Side Storage	S	S	•	S	S	S	•	•	S	S	S	S	S	S	S	S	S	S	•	•	•	•
Console Storage	S	S	S	S	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Rod Holders	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	S	S	•	•	S
Bow Storage	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	•	S	S
Stern Storage	S	S	S	S	S	S	S	S	S	S	S	S	S	S	•	•	S	S	•	•	•	•
In-Floor Storage	•	•	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

MISCELLANEOUS

Bow & Stern Castings with Handles	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Oar Locks	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Nonskid Interior	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Lockable Glove Box	S	S	S	S	S	S	S	•	•	•	S	•	•	•	•	•	•	•	•	•	•
Glove Box	•	•	•	•	•	•	•	•	S	•	•	•	S	•	•	•	•	•	•	•	•
Toe Kicks	S	S	S	S	S	S	S	S	•	•	S	S	•	•	•	•	•	•	S	S	
Reinforced for Downriggers	S	S	S	S	•	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Bilge Pump	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Swim Platform	•	•	O	O	O	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Ski Tow	•	•	O	O	O	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Hydraulic Steering	S	•	S	•	•	S	•	•	•	•	•	•	•	•	•	•	•	•	O	O	
Tilt Steering	S	S	S	S	S	S	•	•	•	•	S	S	•	•	•	•	•	•	S	S	
Stainless Steel Bow Rail	•	•	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Twice Baked Urethane Paint	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	•	•	•	S	S	
Cup Holders	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	•	•	•	

SPECIFICATIONS

S | Standard O | Option • | Not Available L | Lighted A | Aerated R | Recirculating T | Timed

* Not available on DLX

LIGHTS

www.smokercraft.com // 23



SMOKERCRAFT

2010 FISHING BOATS

SMOKER CRAFT, INC.
P.O. Box 65 • New Paris, IN 46553

SMOKER CRAFT, INC. WEST
P.O. Box 219 • Stayton, OR 97383

TO TALK TO THE DEALER NEAREST YOU, DIAL 866 719-7873.
Connects directly to dealer. Please call during business hours.

LEARN MORE AT WWW.SMOKERCRAFT.COM.

AUTHORIZED SMOKER CRAFT DEALER:

EVINRUDE



HONDA
MARINE

MERCURY
"I On The Water"

SUZUKI
MARINE

YAMAHA

NMMA
CERTIFIED
using ABYC standards

The specifications of any Smoker Craft boat are subject to change without notice.
Printed 08/09, 09-440-015